MATERIAL SAFETY DATA SHEET

Trade Name:
MSDS NO.
Revision Date:

Castrol PAG 150 Premium Air Conditioning Lubricant 6823 12/07/2001

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name:Castrol PAG 150 Premium Air Conditioning LubricantChemical Family:Refrigeration OilSynonyms:NoneEmergency Telephone (24 hr.):CHEMTREC 1-800-424-9300Supplier:Technical Chemical Company, P.O. Box 139, Cleburne, Texas 76033

2. COMPOSITION/INFORMATION ON INGREDIENTS

Contains no ingredients now known to be hazardous as defined by OSHA. Castrol is registered in the U.S. Patent and Trademark Office.

3. HAZARDS IDENTIFICATION

Emergency Overview: Warning! Harmful if inhaled. Causes moderate eye irritation.

4. FIRST AID MEASURES				
Eye Contact:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.			
Ingestion:	Get immediate medical attention.			
Inhalation:	Not a hazard under normal use conditions.			
Skin Contact:	Flush with copious amounts of water. Remove contaminated clothing and launder before reuse. Get medical attention if irritation persists.			

	5. FIRE FIGHTING MEASURES				
Flammable Prope	rties				
Flash Point °F(°C):		400 F. (260 C.)			
Flash Point Method:		COC			
Flammable Limits in Air - Lower (%):					
Flammable Limits in Air - Upper (%):		(%): Not Determined			
Autoignition Temperature °F(°C):		: Not Determined			
Extinguishing Me		Water fog, carbon dioxide, foam, dry chemical			
Protection Of Fire					
Special Fire-Fighting Procedures:					
		direct a solid stream of water or foam into hot, burning pools; this may cause frothing and increase			
		fire intensity.			
Hazardous Combustion Products:		s: Oxides of carbon, nitrogen and phosphorus.			
6. ACCIDENTAL RELEASE MEASURES					
Spill Procedures: Wear protective		Wear appropriate protective clothing and equipment to prevent skin and eye contact. Wear protective equipment specified. Contain any liquid from leaking containers. Absorb spills on inert material such as perlite, vermiculite, sand or dirt. Place in double polyethylene bags. Isolate			
from other was		from other waste materials. Wash walking surfaces with detergent and water to reduce slipping hazard. Do not allow to enter sanitary drains, sewer or surface and subsurface waters.			
		7. HANDLING AND STORAGE			
Handling and Storage:					
8. EXPOSURE CONTROLS/PERSONAL PROTECTION					
Eyes: Chemica		Eyewash stations. Showers. Chemical goggles; also wear a face shield if splashing hazard exists.			
		PVC coated apron or clothing. Appropriate respiratory protection shall be worn when applied engineering controls are not adequate to protect			
against inhalation exposure.					
9. PHYSICAL AND CHEMICAL PROPERTIES					
Appearance:	Торі	ical: blue liquid			

Trade Name:	Castrol PAG 150 Premium Air Conditioning Lubricant			MSDS NO.	6823
Odor: Vapor Pressure: Boiling Point (°F): Solubility in Water: Molecular Weight: Viscosity: VOC Content(%):	MILD <.01 mm Hg >392 F. 100% Mixture Not Available Not determine		pH Value: Vapor Density (Air=1): Melting/Freezing Point: Bulk Density at 20°C: Evaporation Rate: Specific Gravity (H20=1): Decomposition Temperature:	5 - 8 51.83 Not determined. Not Determined <.01 1.0510 @ 60F Not Known	
		10.	STABILITY AND REACTIVI	ГҮ	
			ng agents. Materials reactive with hyd ogen Oxides of carbon. Oxides of pho		ng acids and bases
		44 T			

11. TOXICOLOGICAL INFORMATION

Toxicological Data:

Carcinogenicity:

No component known to be present in this product at >.1% is presently listed as a carcinogen by IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecological testing has not been conducted on this product.

13. DISPOSAL CONSIDERATION

Waste Classification:

This product as purchased does not fall under current U.S. EPA RCRA difinitions of hazardous waste. Under RCRA it is the generator's responsibility to determine the status of the waste at the time of its disposal. This product does not contain any CERCLA regulated materials.

Waste Management:

Not determined.

Disposal of this material to the land may be banned by federal law (40 CFR 268).

14. TRANSPORTATION INFORMATION

Marine Pollutant:	Not determined.
Packing Group:	Not determined.
UN No.:	Not determined.
Hazard Subclass:	Not determined.
Hazard Class:	Not determined.
Proper Shipping Name:	Not determined.
IMDG:	
DOT Packing Group:	Not Applicable
UN/NA Number:	Not Applicable
Hazard Class:	ORM-D
Proper Shipping Name:	ORM-D CONSUMER COMMODITY
U.S. DOT:	

15. REGULATORY INFORMATION

US Federal Regulations:

Hazardous per OSHA 29 CFR 1910.1200

SARA 311/312 Hazard Catagories: Immediate Delayed

Trade Name:

State Regulations:

U.S. TSCA:

The components of this product are listed on the TSCA Inventory.

16. OTHER INFORMATION

General Notes: Do not allow undiluted material or large quantities to reach groundwater, bodies of water or sewer system. **Disclaimer:**

The information and recommendations contained herein are based upon tests believed to be reliable. However, Technical Chemical Company does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. Technical Chemical Company assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.