

NOBLE - 100Z SPRAYWASH DETERGENT

DG-NOBLENZ

DOES NOT CONTAIN CAUSTIC SODA

SAFE ON ALUMINUM AND OTHER SENSITIVE METALS WHEN USED PROPERLY.

DIRECTIONS:

SPRAYWASH CABINETS OR CONVEYORS:
Heat water to at least 140 degrees F. Place 1 pound of detergent per 5 gallons of wash water on floor of cabinet. Close door and activate pump to dissolve detergent. If the cabinet does not have a floor or turntable to hold the detergent then turn on the pump and slowly add detergent to the wash tank. Operate the wash cycle at 140 to 160 degrees F.

HOT SOAK TANKS (HOT VATS):
Slowly add 1/2 to 1 pound of detergent per gallon of hot wash water. Operate the tank at 140 to 210 degrees F.

Lot #:

MEDICAL EMERGENCY HOTLINE: 1-800-246-2890

Fast Acting - Saves time and money

Long Lasting - Reduces cleaning and changing of spraycab solution.

Removes grease, oil & dirt from alternators, starters, carburetors, etc.

May be used in hot vat or recirculating spray wash units.

No foam when used in a circulating spraycab unit at operating temperatures above 140 degrees F.

NOBLE OIL SERVICES, INC.
5617 Clyde Rhyme Drive
Sanford, NC 27330
800-662-5364

CAUTION:

CONTAINS SODIUM METASILICATE. Avoid contact with eyes and mucous membranes or prolonged skin contact. DO NOT ingest. Keep container sealed when not in use.

CONTAINER DISPOSAL: Rinse empty container before disposing in an authorized landfill site.

FIRST AID:

SKIN: Causes drying with possible irritation or burns with prolonged or repeated contact. Flush with water.

Eyes: Causes Burns. Flush with plenty of water for at least 15 minutes. Seek medical attention if irritation persists.

INGESTION: Drink large amounts of milk or water. Do not induce vomiting. Contact a physician or poison control center

KEEP OUT OF REACH OF CHILDREN
FOR INDUSTRIAL USE ONLY

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION.

NOBLE OIL SERVICES, INC.
 5617 Clyde Rhyne Drive
 Sanford, NC 27330
 800/662-5364

PRODUCT NAME: **Noble 100Z 40# Pail**
 PRODUCT DESCRIPTION: WHITE FREE FLOWING POWDER, LITTLE ODOR.
 CHEMICAL FAMILY: ALKALINE DETERGENT.
 REVISION DATE: 02/27/03 PRINT DATE: 03/19/04 PRINT TIME: 10:14

SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS.

Hazard	CAS #	WT/Wt % Less Than
SODIUM METASILICATE	6834-92-0	<50
ACGIH TLV: N.E.	(TWA);	
OSHA PEL: N.E.	(TWA);	
DIETHYLENE GLYCOL BUTYL ETHER	112-34-5	1.4
ACGIH TLV: N.E.	(TWA);	
OSHA PEL: N.E.	(TWA);	
TRIETHANOLAMINE	102-71-6	<5
ACGIH TLV: 5 MG/M3	(TWA);	
OSHA PEL: N.E.	(TWA);	

NOTE 1 - Section 313 Supplier Notification: "1" identifies chemical ingredients subject to reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986. This information should be included in all MSDS's that are copied and distributed for this material.

SECTION 3 - HAZARDS IDENTIFICATION.

HEALTH-----	2
INSTABILITY-----	0
FIRE-----	0
OTHER-----	x

(0=insignificant; 1=slight; 2=moderate; 3=high; 4=extreme)

THRESHOLD LIMIT VALUE: N.E., blended product. See Section 2 for information on listed ingredients.

PRIMARY ROUTES OF ENTRY: Eye contact, Skin contact.

EFFECTS OF ACUTE OVEREXPOSURE:

Eyes - Severe irritation, or burns possible.
 Skin - Irritation, or burns possible with prolonged contact.
 Swallowing - Irritation or burns of mouth, throat and stomach. Stomach upset.

EFFECTS OF CHRONIC OVEREXPOSURE: Unknown; none expected beyond acute effects.

CARCINOGENICITY: This product or its ingredients have not been identified as a carcinogen or probable carcinogen by NTP, IARC monographs, or OSHA.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Dermatitis and similar skin disorders.

PRODUCT NAME: Noble 100Z 40# Pail
REVISION DATE: 02/27/03 PRINT DATE: 03/19/04 PRINT TIME: 10:14

SECTION 4 - FIRST AID MEASURES.

EYES - Immediately flush with cool running water holding eye lids apart. Remove contact lenses if present, and continue flushing for 15 minutes. Get medical assistance.

SKIN - Immediately flush with cool running water for 15 minutes. Remove contaminated clothing and wash before reuse. If irritation or burn develops and persists, get medical advice or assistance.

INHALED - Remove to fresh air. Immediately call for medical advice or assistance if breathing difficulty or irritation is severe or continues.

SWALLOWED - Rinse mouth with large amounts of water. Drink water, milk or other fluids to dilute. Do not induce vomiting unless directed by medical personnel. Immediately call for medical advice or assistance.

SECTION 5 - FIRE FIGHTING MEASURES.

Extinguishing media: As needed for surrounding fire.

Special Fire Fighting Procedures: For any chemical fire wear self contained breathing apparatus, and protective clothing to prevent contact.

Unusual Fire and Explosion Hazards: None.

Hazardous Combustion Products: Oxides of carbon and phosphorous.

SECTION 6 - ACCIDENTAL RELEASE MEASURES.

Small Spills, less than 2 pounds: Recover as practical. Flush spill area to drain with excess water.

Large Spills: Only knowledgeable and properly protected people should work with a large spill. Get professional assistance if necessary.

Stop source of discharge if safe to do so. Evacuate unprotected personnel from the immediate area. Keep material dry. Contain spilled material, and keep from discharging to surface waters. Recover to drum for later use, treatment or disposal.

Flush residual to drain.

Notify local, state, or national authorities if required.

Disposal: Product and un-neutralized solutions are alkaline. Normally sewer disposable in dilute solutions. Check with local authorities about any possible restrictions.

PRODUCT NAME: Noble 100Z 40# Pail
REVISION DATE: 02/27/03 PRINT DATE: 03/19/04 PRINT TIME: 10:14

SECTION 7 - HANDLING AND STORAGE.

Handling: Avoid unnecessary contact with product. Avoid breathing product dust, or mists of solution of product.

Wash immediately after contact. Wash after use.

Clean up spills promptly to prevent accidental contact.

Prevent contact with incompatible materials; see Section 10.

Storage: Keep containers tightly closed. Keep product dry to prevent caking.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION.

Ventilation: General or local to avoid exposure to irritating product mists of solutions.

Respirator: None normally required. NIOSH/MSHA approved respirator where conditions may cause exposure limits to be exceeded from dust of product or mists of solutions.

Eye Protection: Glasses, goggles, or face shield to prevent eye exposure.

Protective Clothing: Chemical resistant, impermeable gloves as needed to prevent excessive contact. Full body covering covering and shoes as needed to prevent excessive contact.

Other Protective Equipment or Measures: Eye wash stations in the work area.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES.

Boiling Point: N.E.

Vapor Pressure: N.E.

Specific Gravity: N.E.

Vapor Density: N.E.

Percent Volatile: Less than 2%.

Evaporation Rate: N.A.

Solubility in Water: Complete.

pH: 12 ± .5 (2% solution)

Appearance and Odor: See Section 1.

V.O.C. : Nil.

SECTION 10 - STABILITY AND REACTIVITY.

Stable: Yes. Hazardous Polymerization will not occur.

Conditions to Avoid: Contact with incompatible materials (see below).

Incompatible Materials: Strong oxidizing agents, strong acids.

PRODUCT NAME: Noble 100Z 40# Pail
REVISION DATE: 02/27/03 PRINT DATE: 03/19/04 PRINT TIME: 10:14

SECTION 11 TOXICOLOGICAL INFORMATION

no data

SECTION 12 - ECOLOGICAL INFORMATION

no data

SECTION 13 - DISPOSAL INFORMATION

WASTE MANAGEMENT INFORMATION:

If this product becomes a waste, it does not meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery act (RCRA) 40 CFR 261.

But still check and dispose of in accordance with all applicable local, state and federal regulations.

SECTION 14 - TRANSPORT INFORMATION

DOT Information- 49 CFR 172.101

DOT Description: NON-REGULATED BY D.O.T.

CONTAINER/MODE: (POWDER) DRUM

SECTION 15 - REGULATORY INFORMATION

US FEDERAL Regulations: (TSCA Toxic Substances Control Act) Status
TSCA (United States) The intentional ingredients of this product are listed.

CERCLA RQ-40 CFR 302.4 (a): none listed

SARA 302 COMPONENTS-40 CFR 355 APPENDIX A: NONE

SECTION 311/312 HAZARD CLASS - 40 CFR 370.2

SARA 313 COMPONENTS - 40 CFR 372.65: Diethylene Glycol butyl ether
cas# 112-34-5 -- 1.4%

International Regulations Inventory Status: not determined

State and Local Regulations: California Proposition 65: none

1

SECTION 16 - OTHER INFORMATION

DISCLAIMER:

The above information is, to the best of our knowledge, current, accurate, and complete based on information reasonably available to us as of the date of preparation of this form. However, it is the users's responsibility to determine the safety, toxicity and suitability for his or her own use of the product described herein. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by us as to the effects of such use or on the safety or toxicity of this product. Nor do we assume any liability arising out of use by others of the product. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when exceptional conditions or circumstances exist or because of applicable laws or regulations.

NE = NOT ESTABLISHED / NA = NOT APPLICABLE

END OF DOCUMENT