

SAFETY DATA SHEET

Creation Date 21-Apr-2014

Revision Date 14-Sep-2018

Revision Number 4

	1. Identification	
Product Name 2-Methyl-2-butanol		
Cat No. :	AC166620000; AC166620010; AC166620025; AC166620100	
CAS-No Synonyms	75-85-4 tert-Amyl alcohol	
Recommended Use Uses advised against Details of the supplier of the	Laboratory chemicals. Food, drug, pesticide or biocidal product use. the safety data sheet	
<u>Company</u> Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100	Acros Organics One Reagent Lane Fair Lawn, NJ 07410	
	ber 00-ACROS-01 / Europe call: +32 14 57 52 11 201-796-7100 / Europe: +32 14 57 52 99	

Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2
Acute dermal toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 4
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system, Central nervo	bus system (CNS).

Label Elements

Signal Word Danger

Hazard Statements Highly flammable liquid and vapor Causes skin irritation Causes serious eye damage May cause respiratory irritation May cause drowsiness or dizziness Harmful in contact with skin or if inhaled



Precautionary Statements

Prevention

Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Wash face, hands and any exposed skin thoroughly after handling Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Skin

Call a POISON CENTER or doctor/physician if you feel unwell

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
2-Methyl-2-butanol	75-85-4	>95

4. First-aid measures

General Advice

If symptoms persist, call a physician.

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Most important symptoms and effects Notes to Physician	Causes severe eye damage. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	CO 2, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	Water may be ineffective
Flash Point	20 °C / 68 °F
Method -	No information available
Autoignition Temperature	435 °C / 815 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	9.60 vol % 1.30 vol % t No information available No information available

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

......

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA_ Health 2	Flammability 3	Instability 0	Physical hazards N/A
	6. Accidental re	elease measures	
Personal Precautions	Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.		
Environmental Precautions	Should not be released into the environment.		
Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.			

7. Handling and storage

Γ

Handling Storage	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Protect from light. Flammables area.		
8. E	Exposure controls / personal protection		
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.		
Engineering Measures	Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.		
Personal Protective Equipment			
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.		
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.		
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.		
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.		

9. Physical and chemical properties

	9. Physical and chemical properties
Physical State	Liquid
Appearance	Colorless
Odor	Strong
Odor Threshold	No information available
рН	6.0 118 g/L aq.sol
Melting Point/Range	-12 °C / 10.4 °F
Boiling Point/Range	102 °C / 215.6 °F @ 760 mmHg
Flash Point	20 °C / 68 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	9.60 vol %
Lower	1.30 vol %
Vapor Pressure	15.5 hPa @ 20 °C
Vapor Density	3.04
Specific Gravity	0.800
Solubility	70 g/L water (25°C)
Partition coefficient; n-octanol/w	
Autoignition Temperature	435 °C / 815 °F
Decomposition Temperature	No information available
Viscosity	3.7 mPa s at 25 °C
Molecular Formula	C5 H12 O
Molecular Weight	88.15

10. Stability and reactivity		
Reactive Hazard None known, based on information available		
Stability Light sensitive.		
Conditions to Avoid	Incompatible products. Keep away from open flames, hot surfaces and sources of ignition. Excess heat. Exposure to light.	
Incompatible Materials	Strong oxidizing agents, Metals	
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)		
Hazardous Polymerization Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.	

11. Toxicological information

Acute Toxicity

Product Information

Component Information							
Component		LD50 Oral		LD50 Dermal		LC50 Inhalation	
2-Methyl-2-butanol		5184 mg/kg (Rat)				ng/L/6h (Rat)	
Toxicologically Synerg Products	gistic	No information ava	ilable				
Delayed and immediat	te effects	as well as chronic effect	cts from short an	d long-term expo	sure		
Irritation		Irritating to respirate	Irritating to respiratory system and skin Risk of serious damage to eyes				
Sensitization		No information ava	ilable				
Carcinogenicity		The table below inc	dicates whether ea	ach agency has lis	ted any ingredient	as a carcinogen.	
Component	CAS-No	D IARC	NTP	ACGIH	OSHA	Mexico	
2-Methyl-2-butanol	75-85-4	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		Not mutagenic in A	MES Test				
Reproductive Effects		No information ava	No information available.				
Developmental Effects		No information ava	No information available.				
Teratogenicity		No information ava	No information available.				
STOT - single exposure STOT - repeated exposure		Respiratory system None known	Respiratory system Central nervous system (CNS) None known				
Aspiration hazard		No information ava	No information available				
Symptoms / effects,b delayed	oth acute		d Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting				
Endocrine Disruptor Information		n No information ava	No information available				
Other Adverse Effects		The toxicological p	The toxicological properties have not been fully investigated.				
		12. Ecolo	ogical infor	mation			
Ecotoxicity			0				

```
Ecotoxicity
Do not empty into drains. .
```

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
2-Methyl-2-butanol	Not listed	LC50: 2430 mg/L/48h (Leuciscus idus melanotus) (DIN 38412 part 15)	Not listed	EC50: 540 mg/L/48h (DIN 38412 part 11)
Persistence and Degradal	bility Persistence i	s unlikely		
Bioaccumulation/ Accumulation No information available.				
Mobility	. Will likely be	. Will likely be mobile in the environment due to its water solubility.		

Component	log Pow
2-Methyl-2-butanol	0.89

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information			
DOT			
UN-No	UN1105		
Proper Shipping Name	PENTANOLS		
Hazard Class	3		
Packing Group	II		
TDG			
UN-No	UN1105		
Proper Shipping Name	PENTANOLS		
Hazard Class	3		
Packing Group	II.		
UN-No	UN1105		
Proper Shipping Name	PENTANOLS		
Hazard Class	3		
Packing Group	II.		
IMDG/IMO			
UN-No	UN1105		
Proper Shipping Name	PENTANOLS		
Hazard Class	3		
Packing Group	<u> </u>		
15. Regulatory information			

United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
2-Methyl-2-butanol	75-85-4	Х	ACTIVE	-

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
2-Methyl-2-butanol	75-85-4	Х	-	200-908-9	Х	Х	Х	Х	KE-23573

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.

California Proposition 65

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
2-Methyl-2-butanol	Х	Х	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	N
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	

Mexico - Grade

No information available

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific
	Email: EMSDS.RA@thermofisher.com
Creation Date	21-Apr-2014
Revision Date	14-Sep-2018
Print Date	14-Sep-2018
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS