

SAFETY DATA SHEET

Creation Date 12-Oct-2010

Revision Date 25-Apr-2019

Revision Number 5

1. Identification **Product Name** Aluminium, pieces (2-10 mm) Cat No. : AC300210000; AC300210010; AC300210250; AC300212500 CAS-No 7429-90-5 **Synonyms** No information available **Recommended Use** Laboratory chemicals. Uses advised against Food, drug, pesticide or biocidal product use. Details of the supplier of the safety data sheet Company **Fisher Scientific** Acros Organics One Reagent Lane One Reagent Lane Fair Lawn, NJ 07410 Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements None required

Hazards not otherwise classified (HNOC) None identified

3. Composition/Information on Ingredients					
Component	CAS-No	Weight %			

Aluminum		7429-90-5	99			
	4.	First-aid measures				
Eye Contact	Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. G medical attention.					
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.					
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.					
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.					
Most important symptoms and	None reason	ably foreseeable.				
effects Notes to Physician	Treat sympto	omatically				

5. Fire-fighting measures

Unsuitable Extinguishing Media	No information available
Flash Point Method -	Not applicable No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Fumes of aluminum or aluminum oxide.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u> Health 1	FlammabilityInstabilityPhysical hazards11N/A W						
	6. Accidental rel	ease measures					
Personal Precautions	Use personal protective eq formation.	uipment as required. Ensure a	dequate ventilation. Avoid dust				
Environmental Precautions	Should not be released into	the environment.					

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid

contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection Exposure Guidelines ACGIH TLV OSHA PEL NIOSH IDLH Mexico OEL (TWA) Aluminum TWA: 1 mg/m³ (Vacated) TWA: 15 mg/m³ TWA: 10 mg/m³ TWA: 1 mg/m³ TWA: 5 mg/m³ Vacated) TWA: 5 mg/m³ TWA: 5 mg/m³ TWA: 5 mg/m³ TWA: 5 mg/m³

TWÁ: 15 mg/m³ TWA: 5 mg/m³

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

None under normal use conditions.

Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.					
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.					
Respiratory Protection	No protective equipment is needed under normal use conditions.					
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.					

9. Physical and chemical properties

9. Pi	nysical and chemical properties
Physical State	Solid; Various Form
Appearance	Silver / Grey
Odor	Odorless
Odor Threshold	No information available
рН	Not applicable
Melting Point/Range	660 °C / 1220 °F
Boiling Point/Range	2327 °C / 4220.6 °F @ 760 mmHg
Flash Point	Not applicable
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	2.700
Solubility	insoluble
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	Al
Molecular Weight	26.97

		10. 3140	ility and rea	activity			
Reactive Hazard None known, based on information available							
Stability		Stable under norm	al conditions.				
Conditions to Avoid	k	Incompatible products. Excess heat. Avoid dust formation. Exposure to air. Exposure to moist air or water.					
Incompatible Mater	ials Strong oxidizing agents						
Hazardous Decomp	osition Products	Fumes of aluminu	m or aluminum oxi	ide			
Hazardous Polymer	rization	Hazardous polyme	erization does not	occur.			
Hazardous Reaction	ns	None under norma	al processing.				
		11. Toxico	ological info	ormation			
Acute Toxicity							
Product Information		No acute toxicity in	nformation is availa	able for this produc	ct		
Component Informa Toxicologically Syn		No information ava	ailable				
Products Delayed and immed	liate effects as w	ell as chronic effe	cts from short ar	nd long-term expo	osure		
rritation							
	No information available						
Sensitization		No information ava	ailable				
				ach agency has lis	ted any ingredient	as a carcinogen	
Carcinogenicity Component	CAS-No 7429-90-5	The table below in	dicates whether e	ACGIH	OSHA	Mexico	
Carcinogenicity Component Aluminum	CAS-No 7429-90-5	The table below in	dicates whether ex NTP Not listed			-	
Carcinogenicity Component Aluminum Mutagenic Effects	7429-90-5	The table below in IARC Not listed	dicates whether ea NTP Not listed ailable	ACGIH	OSHA	Mexico	
Carcinogenicity Component Aluminum Mutagenic Effects Reproductive Effect	7429-90-5 ts	The table below in IARC Not listed No information ava	dicates whether ea NTP Not listed ailable ailable.	ACGIH	OSHA	Mexico	
Carcinogenicity Component Aluminum Mutagenic Effects Reproductive Effect	7429-90-5 ts	The table below in IARC Not listed No information ava No information ava	dicates whether ea NTP Not listed ailable ailable. ailable.	ACGIH	OSHA	Mexico	
Carcinogenicity Component Aluminum Mutagenic Effects Reproductive Effect Developmental Effe Teratogenicity STOT - single expos	7429-90-5 ts ects sure	The table below in IARC Not listed No information ava No information ava No information ava	dicates whether ea NTP Not listed ailable ailable. ailable.	ACGIH	OSHA	Mexico	
Carcinogenicity Component Aluminum Mutagenic Effects Reproductive Effect Developmental Effe Teratogenicity STOT - single expos STOT - repeated exp	7429-90-5 ts ects sure	The table below in IARC Not listed No information ava No information ava No information ava No information ava No information ava None known	dicates whether en Not listed ailable ailable. ailable. ailable.	ACGIH	OSHA	Mexico	
Carcinogenicity <u>Component</u> Aluminum Mutagenic Effects Reproductive Effect Developmental Effe Teratogenicity STOT - single exposes STOT - repeated exp Aspiration hazard Symptoms / effects	7429-90-5 ts ects sure posure	The table below in IARC Not listed No information ava No information ava No information ava No information ava None known None known No information ava	dicates whether en Not listed ailable ailable. ailable. ailable. ailable.	ACGIH	OSHA	Mexico	
Carcinogenicity <u>Component</u> Aluminum Mutagenic Effects Reproductive Effect Developmental Effect Teratogenicity STOT - single exposes STOT - repeated exposes STOT - repeated exposes STOT - repeated exposes Aspiration hazard Symptoms / effects delayed	7429-90-5 ts ects sure posure s,both acute and	The table below in IARC Not listed No information ava No information ava No information ava No information ava None known None known No information ava	dicates whether en Not listed ailable ailable. ailable. ailable. ailable. ailable.	ACGIH	OSHA	Mexico	
	7429-90-5 ts ects sure posure s,both acute and or Information	The table below in IARC Not listed No information ava No information ava No information ava No information ava None known None known No information ava No information ava No information ava	dicates whether en Not listed ailable ailable. ailable. ailable. ailable. ailable ailable	ACGIH Not listed	OSHA Not listed	Mexico	

Persistence and Degradability Insoluble in water

Bioaccumulation/ Accumulation Mobility	No information available. Is not likely mobile in the environment due its low water solubility.					
	13. Disposal considerations					
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.					
	14. Transport information					
DOT	Not regulated					

DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
	15. Regulatory information

United States of America Inventory

Componen	t	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Aluminum		7429-90-5	Х	ACTIVE	-

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Aluminum	7429-90-5	Х	-	231-072-3	Х	Х	Х	Х	KE-00881

U.S. Federal Regulations

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Aluminum	7429-90-5	99	1.0

SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.
U.S. State Right-to-Know Regulations	

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Aluminum	X	X	X	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product contains the following DHS chemicals: **Legend** - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard
Aluminum	-

Other International Regulations

Mexico - Grade

No information available

	16. Other information
Prepared By	Regulatory Affairs
	Thermo Fisher Scientific
	Email: EMSDS.RA@thermofisher.com
Creation Date	12-Oct-2010
Revision Date	25-Apr-2019
Print Date	25-Apr-2019
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS