

# **SAFETY DATA SHEET**

Creation Date 30-Oct-2009 Revision Date 17-Jan-2018 Revision Number 4

1. Identification

Product Name Ammonium chloride

Cat No.: A649-3; A649-500; A661-3; A661-10; A661-500; A687-10; A687-100;

A687-212; A687-500

**CAS-No** 12125-02-9

Synonyms Sal ammoniac; Ammonium muriate (Granular/Crystalline/USP/FCC/EP/Certified ACS)

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

**Emergency Telephone Number** 

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

## 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Category 2

Category 3

Target Organs - Respiratory system.

Specific target organ toxicity - (repeated exposure) Category 2

Target Organs - Kidney, Heart, spleen, Blood.

#### Label Elements

## Signal Word

Warning

## **Hazard Statements**

Harmful if swallowed

Causes serious eye irritation

May cause respiratory irritation

May cause damage to organs through prolonged or repeated exposure



## **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

#### Response

Get medical attention/advice if you feel unwell

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

None identified

## 3. Composition/Information on Ingredients

| Component         | CAS-No     | Weight % |
|-------------------|------------|----------|
| Ammonium chloride | 12125-02-9 | >95      |

### 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. Obtain medical attention.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

None reasonably foreseeable.

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

## **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

None known

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards201N/A

## 6. Accidental release measures

Personal Precautions
Environmental Precautions

Ensure adequate ventilation. Use personal protective equipment. Avoid dust formation. Should not be released into the environment. See Section 12 for additional ecological information.

**Methods for Containment and Clean** Sweep up or vacuum up spillage and collect in suitable container for disposal. Keep in suitable, closed containers for disposal.

## 7. Handling and storage

Handling

Wear personal protective equipment. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. Exposure controls / personal protection

#### **Exposure Guidelines**

| Component         | ACGIH TLV                  | OSHA PEL                             | NIOSH IDLH                 | Mexico OEL (TWA)           |
|-------------------|----------------------------|--------------------------------------|----------------------------|----------------------------|
| Ammonium chloride | TWA: 10 mg/m <sup>3</sup>  | (Vacated) TWA: 10 mg/m <sup>3</sup>  | TWA: 10 mg/m <sup>3</sup>  | TWA: 10 mg/m <sup>3</sup>  |
|                   | STEL: 20 mg/m <sup>3</sup> | (Vacated) STEL: 20 mg/m <sup>3</sup> | STEL: 20 mg/m <sup>3</sup> | STEL: 20 mg/m <sup>3</sup> |

### <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

**Engineering Measures** 

Ensure that eyewash stations and safety showers are close to the workstation location.

Ensure adequate ventilation, especially in confined areas.

Revision Date 17-Jan-2018 Ammonium chloride

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166. Tightly fitting safety goggles.

Skin and body protection Long sleeved clothing.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard **Respiratory Protection** 

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 

9. Physical and chemical properties

**Physical State** Solid **Appearance** White Odor Odorless

**Odor Threshold** No information available

5.0 @ 25°C 10% ag. solution Ha

**Melting Point/Range** 340 °C / 644 °F **Boiling Point/Range** No information available Flash Point No information available

Not applicable **Evaporation Rate** 

Flammability (solid,gas) No information available

Flammability or explosive limits

No data available Upper Lower No data available **Vapor Pressure** 1.3 mbar @ 160 °C **Vapor Density** Not applicable

No information available **Specific Gravity** 

Solubility Soluble in water Partition coefficient; n-octanol/water No data available

**Autoignition Temperature** 

350 °C **Decomposition Temperature Viscosity** Not applicable **Molecular Formula** H4 CI N **Molecular Weight** 53.49

10. Stability and reactivity

**Reactive Hazard** None known, based on information available

Hygroscopic. Stability

**Conditions to Avoid** Incompatible products. Excess heat. Avoid dust formation. Exposure to moist air or water.

Strong oxidizing agents **Incompatible Materials** 

Hazardous Decomposition Products None under normal use conditions

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

11. Toxicological information

**Acute Toxicity** 

**Product Information** 

**Component Information** 

| Component         | LD50 Oral        | LD50 Dermal  | LC50 Inhalation |
|-------------------|------------------|--------------|-----------------|
| Ammonium chloride | 1650 mg/kg (Rat) | > 2000 mg/kg | Not listed      |

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes

**Sensitization** No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component         | CAS-No     | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|-------------------|------------|------------|------------|------------|------------|------------|
| Ammonium chloride | 12125-02-9 | Not listed |

Mutagenic Effects Mutagenic effects have occurred in experimental animals.

Reproductive Effects No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure Kidney Heart spleen Blood

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects See actual entry in RTECS for complete information.

# 12. Ecological information

**Ecotoxicity** 

| Component         | Freshwater Algae | Freshwater Fish  | Microtox | Water Flea          |
|-------------------|------------------|------------------|----------|---------------------|
| Ammonium chloride | -                | Cyprinus carpio: | -        | EC50 = 202 mg/L/24h |
|                   |                  | LC50 = 209 mg/L  |          | _                   |

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** . Will likely be mobile in the environment due to its water solubility.

| Component         | log Pow |
|-------------------|---------|
| Ammonium chloride | -4.38   |

## 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and

nazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT Not regulated Not regulated

IATA Not regulated Not regulated Not regulated

## 15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

### **International Inventories**

| Component         | TSCA | DSL | NDSL | EINECS    | ELINCS | NLP | PICCS | ENCS | AICS | IECSC | KECL |
|-------------------|------|-----|------|-----------|--------|-----|-------|------|------|-------|------|
| Ammonium chloride | Х    | Х   | -    | 235-186-4 | -      |     | Χ     | Χ    | Х    | Х     | Χ    |

## Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### U.S. Federal Regulations

**TSCA 12(b)** 

Not applicable

#### **SARA 313**

| Component         | CAS-No     | Weight % | SARA 313 - Threshold<br>Values % |
|-------------------|------------|----------|----------------------------------|
| Ammonium chloride | 12125-02-9 | >95      | 1.0                              |

#### SARA 311/312 Hazard Categories

See section 2 for more information

**CWA (Clean Water Act)** 

| Component         | CWA - Hazardous<br>Substances | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|-------------------|-------------------------------|--------------------------------|------------------------|---------------------------|
| Ammonium chloride | X                             | 5000 lb                        | -                      | -                         |

Clean Air Act

Not applicable

**OSHA** Occupational Safety and Health Administration

Not applicable

**CERCLA** 

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Component         | Hazardous Substances RQs | CERCLA EHS RQs |
|-------------------|--------------------------|----------------|
| Ammonium chloride | 5000 lb                  | -              |

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know

Regulations

| Component         | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-------------------|---------------|------------|--------------|----------|--------------|
| Ammonium chloride | X             | X          | X            | -        | X            |

## **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

## **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

## Other International Regulations

Mexico - Grade No information available

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 30-Oct-2009

 Revision Date
 17-Jan-2018

 Print Date
 17-Jan-2018

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**