

# SAFETY DATA SHEET

Creation Date 26-Sep-2009

Revision Date 23-Jan-2018

Revision Number 5

1. Identification

**Product Name** 

# Barium hydroxide, anhydrous AC612422500; AC612425000

Cat No. :

CAS-No Synonyms 17194-00-2 No information available

Recommended Use Uses advised against Laboratory chemicals. Not for food, drug, pesticide or biocidal product use

## Details of the supplier of the safety data sheet

<u>Company</u> Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

## **Emergency Telephone Number**

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

## **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity	Category 4
Acute Inhalation Toxicity - Dusts and Mists	Category 4
Skin Corrosion/irritation	Category 1 A
Serious Eye Damage/Eye Irritation	Category 1
	5,

### Label Elements

Signal Word Danger

Hazard Statements Harmful if swallowed Causes severe skin burns and eye damage Harmful if inhaled



## **Precautionary Statements**

## Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/sprav Wear protective gloves/protective clothing/eye protection/face protection Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion Rinse mouth Do NOT induce vomiting Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

Corrosive to the respiratory tract May cause cardiac arrhythmia

## 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Barium hydroxide (Ba(OH)2)	17194-00-2	> 95

4. First-aid measures			
General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attent required.			
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.		
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician immediately.		
Inhalation	Move to fresh air. If not breathing, give artificial respiration. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.		

ngestion Immediate medical attention is required. Do not induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person.			niting. Drink plenty of water.	
Most important symptoms and effects	Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation			
Notes to Physician	Treat symptomatically			
	5. Fire-fightir	ng measures		
Suitable Extinguishing Media	CO <sub>2</sub> , dry chemical, dry sar	<u> </u>		
Jnsuitable Extinguishing Media	No information available			
Flash Point     Not applicable       Method -     No information available				
Autoignition Temperature Explosion Limits Upper Lower Sensitivity to Mechanical Impact Sensitivity to Static Discharge	No data available No data available No information available No information available			
Specific Hazards Arising from the C The product causes burns of eyes, skir				
Hazardous Combustion Products None known Protective Equipment and Precautio As in any fire, wear self-contained brea protective gear. Thermal decompositio	thing apparatus pressure-d		ed or equivalent) and full	
NFPA Health 3	<b>Flammability</b> 0	Instability 1	Physical hazards N/A	
	6. Accidental re	lease measures		
Personal Precautions				
Environmental Precautions	skin, eyes and clothing. Should not be released into	o the environment. Do not allow	material to contaminate ground	

 Water system.

 Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

7. Handling and storage			
Handling	Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Use only under a chemical fume hood. Do not breathe dust. Do not ingest.		
Storage	Keep containers tightly closed in a cool, well-ventilated place. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.		

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Barium hydroxide (Ba(OH)2)	TWA: 0.5 mg/m <sup>3</sup>	(Vacated) TWA: 0.5 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>
			TWA: 0.5 mg/m <sup>3</sup>	

## <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Long sleeved clothing.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

Physical and chemical properties	

9. PHYSICA	n and chemical properties
Physical State	Solid
Appearance	Clear
Odor	Odorless
Odor Threshold	No information available
рН	12.0 Alkaline
Melting Point/Range	78 °C / 172.4 °F
Boiling Point/Range	780 °C / 1436 °F
Flash Point	Not applicable
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	negligible
Vapor Density	Not applicable
Specific Gravity	2.18
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	BaH2O2
Molecular Weight	171.34

## 10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	Stable under normal conditions.		
Conditions to Avoid	Avoid dust formation. Incompatible products.		

Incompatible Materials		Strong oxidizing agents				
•						
Hazardous Decomp	osition Products	None under normal	use conditions			
Hazardous Polymer	ization	Hazardous polymer	ization does not o	occur.		
Hazardous Reactior	IS	None under normal	processing.			
		11. Toxico	logical info	ormation		
Acute Toxicity						
Product Information Component Information						
Componen	t	LD50 Oral		LD50 Dermal	LC50 I	nhalation
Barium hydroxide (E	Ba(OH)2) L	.D50 = 308 mg/kg(Ra	t )	Not listed	Not	t listed
Toxicologically Syn Products Delayed and immed	-	No information avai		d long-term expo	osure_	
Irritation		Causes burns by all exposure routes				
Sensitization		No information available				
Carcinogenicity		The table below ind	icates whether ea	ach agency has lis	ted any ingredient a	as a carcinogen.
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Barium hydroxide (Ba(OH)2)	17194-00-2	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information available				
Reproductive Effect	S	No information available.				
Developmental Effe	cts	No information available.				
Teratogenicity		No information available.				
STOT - single exposure STOT - repeated exposure		None known None known				
Aspiration hazard		No information available				
Symptoms / effects,both acute and delayed		Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation				

Endocrine Disruptor InformationNo information availableOther Adverse EffectsThe toxicological properties

The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity Do not empty into drains.

Persistence and Degradability	Soluble in water Persistence is unlikely based on information available.
<b>Bioaccumulation/ Accumulation</b>	No information available.
Mobility	Will likely be mobile in the environment due to its water solubility.

## 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	
UN-No	UN3262
Proper Shipping Name	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
Proper technical name	Barium hydroxide (Ba(OH)2)
Hazard Class	8
Packing Group	II
TDG	
UN-No	UN3262
Proper Shipping Name	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
Hazard Class	8
Packing Group	II
IATA	1010000
UN-No	
Proper Shipping Name	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
Hazard Class	8
Packing Group	ll
IMDG/IMO UN-No	UN3262
	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
Proper Shipping Name Hazard Class	8
Packing Group	
	15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

#### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Barium hydroxide (Ba(OH)2)	Х	Х	-	241-234-5	-		Х	Х	Х	Х	Х

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### U.S. Federal Regulations

## TSCA 12(b)

Not applicable

## SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Barium hydroxide (Ba(OH)2)	17194-00-2	> 95	1.0

SARA 311/312 Hazard Categories	See section 2 for more information		
CWA (Clean Water Act)	Not applicable		
Clean Air Act	Not applicable		
OSHA Occupational Safety and Health Administration			

Not applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Rogalationo					
Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Barium hydroxide	-	Х	Х	-	Х
(Ba(OH)2)					

## U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

## **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

## Other International Regulations

Mexico - Grade

No information available

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	26-Sep-2009 23-Jan-2018 23-Jan-2018 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS). SDS sections updated. 14.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**