# **Material Safety Data Sheet**

Version 3.3 Revision Date 12/24/2012 Print Date 05/07/2013

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Copper-zinc alloy

Product Number : 520403 Brand : Aldrich

Supplier : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052 Emergency Phone # (For : (314) 776-6555

both supplier and manufacturer)

Preparation Information

Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

### 2. HAZARDS IDENTIFICATION

# **Emergency Overview**

# **OSHA Hazards**

Target Organ Effect

### **Target Organs**

Lungs

### **GHS Classification**

Flammable solids (Category 1)
Acute aquatic toxicity (Category 1)
Chronic aquatic toxicity (Category 1)

### GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H228 Flammable solid.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P273 Avoid release to the environment.

P501 Dispose of contents/ container to an approved waste disposal plant.

**HMIS Classification** 

Health hazard: 0
Chronic Health Hazard: \*
Flammability: 0
Physical hazards: 1

**NFPA Rating** 

Health hazard: 0

Aldrich - 520403 Page 1 of 7

Fire: 0
Reactivity Hazard: 0

### **Potential Health Effects**

InhalationMay be harmful if inhaled. May cause respiratory tract irritation.SkinMay be harmful if absorbed through skin. May cause skin irritation.

**Eyes** May cause eye irritation. **Ingestion** May be harmful if swallowed.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Brass

Molecular Weight : 128.9 g/mol

Component		Classification	Concentration
Copper			
CAS-No. EC-No.	7440-50-8 231-159-6	Flam. Sol. 1; Aquatic Acute 1; H228. H400	60 - 100 %
20 140.	201 100 0	11220, 11400	

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

# 4. FIRST AID MEASURES

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Flush eyes with water as a precaution.

# If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 5. FIREFIGHTING MEASURES

# **Conditions of flammability**

Not flammable or combustible.

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

# **Hazardous combustion products**

Hazardous decomposition products formed under fire conditions. - Zinc/zinc oxides

### **Further information**

Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions

Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

#### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Aldrich - 520403 Page 2 of 7

# Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

# Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis		
Copper	7440-50-8	TWA	1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
Remarks	Irritation Gas	Irritation Gastrointestinal metal fume fever				
		TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits		
		TWA	1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
		TWA	1 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000		
		TWA	0.2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
	Irritation Gas	Irritation Gastrointestinal metal fume fever				
		TWA	0.1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
		TWA	0.1 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000		

# Personal protective equipment

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

# **Eye protection**

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin and body protection

Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Aldrich - 520403 Page 3 of 7

# Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Appearance**

Form powder

Colour no data available

Safety data

Melting

рН no data available

point/freezing point

**Boiling point** no data available Flash point not applicable Ignition temperature no data available Auto-ignition no data available

temperature

Lower explosion limit no data available Upper explosion limit no data available Vapour pressure no data available Density no data available Water solubility no data available Partition coefficient:

n-octanol/water

no data available

no data available

Relative vapor

density

no data available

Odour no data available Odour Threshold no data available Evaporation rate no data available

# 10. STABILITY AND REACTIVITY

# **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

no data available

### Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

# Materials to avoid

Strong bases, Acids, Strong oxidizing agents, Strong acids, Acid chlorides, Fluorine, chlorides, Halogens, Nitrates, Carbon disulfide

# Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Zinc/zinc oxides

Other decomposition products - no data available

# 11. TOXICOLOGICAL INFORMATION

Aldrich - 520403 Page 4 of 7

# **Acute toxicity**

#### Oral LD50

no data available

#### **Inhalation LC50**

no data available

#### **Dermal LD50**

no data available

### Other information on acute toxicity

no data available

#### Skin corrosion/irritation

no data available

### Serious eye damage/eye irritation

Eyes: no data available

# Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

no data available

### **Teratogenicity**

no data available

### Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

# Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

# Aspiration hazard

no data available

# Potential health effects

**Inhalation** May be harmful if inhaled. May cause respiratory tract irritation.

**Ingestion** May be harmful if swallowed.

**Skin** May be harmful if absorbed through skin. May cause skin irritation.

**Eyes** May cause eye irritation.

# Signs and Symptoms of Exposure

Aldrich - 520403 Page 5 of 7

sneezing, Nausea, Weakness, Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis.

# Synergistic effects

no data available

#### **Additional Information**

RTECS: Not available

# 12. ECOLOGICAL INFORMATION

# **Toxicity**

no data available

### Persistence and degradability

no data available

### Bioaccumulative potential

no data available

### Mobility in soil

no data available

### PBT and vPvB assessment

no data available

#### Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

# 13. DISPOSAL CONSIDERATIONS

# **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

# Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

### DOT (US)

Not dangerous goods

# **IMDG**

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper, Zinc)

Marine Pollutant: Marine pollutant

# **IATA**

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Copper, Zinc)

# **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

### 15. REGULATORY INFORMATION

### **OSHA Hazards**

Target Organ Effect

Aldrich - 520403 Page 6 of 7

# **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
Copper	7440-50-8	2007-07-01

#### SARA 311/312 Hazards

Chronic Health Hazard

# **Massachusetts Right To Know Components**

Zinc Copper	CAS-No. 7440-66-6 7440-50-8	Revision Date 1993-04-24 2007-07-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Zinc	7440-66-6	1993-04-24
Copper	7440-50-8	2007-07-01
New Jersey Right To Know Components		
	CAS-No.	<b>Revision Date</b>
Zinc	7440-66-6	1993-04-24
Copper	7440-50-8	2007-07-01

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# 16. OTHER INFORMATION

# Text of H-code(s) and R-phrase(s) mentioned in Section 3

Aquatic Acute Acute aquatic toxicity
Flam. Sol. Flammable solids
H228 Flammable solid.
H400 Very toxic to aquatic life.

### **Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Aldrich - 520403 Page 7 of 7