

SAFETY DATA SHEET

Creation Date 24-Nov-2010 Revision Date 25-Apr-2019 Revision Number 4

1. Identification

Product Name Bromine

Cat No.: AC402840000; AC402840010; AC402841000; AC402845000

CAS-No 7726-95-6

Synonyms Bromine molecule.; Diatomic bromine; Dibromine

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Acros Organics
One Reagent Lane One Reagent Lane
Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 1

Category 1

Category 1

Label Elements

Signal Word

Danger

Hazard Statements

Fatal if inhaled

Causes severe skin burns and eye damage



Precautionary Statements

Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Wear respiratory protection

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion**

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Bromine	7726-95-6	>95

4. First-aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek

immediate medical attention/advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Seek immediate medical

attention/advice.

Inhalation Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center

immediately. If not breathing, give artificial respiration.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Treat symptomatically

Notes to Physician

5. Fire-fighting measures

Suitable Extinguishing Media Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing Media No information available

Flash Point Not applicable

Method - No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Very toxic by inhalation. May be fatal if inhaled. Corrosive material. May intensify fire; oxidizer. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Hydrogen halides. Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
3	0	0	OX

6. Accidental release measures

Personal Precautions Wear self-contained breathing apparatus and protective suit. Evacuate personnel to safe

areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do

not get in eyes, on skin, or on clothing.

Environmental PrecautionsDo not flush into surface water or sanitary sewer system. Do not allow material to

contaminate ground water system. Prevent product from entering drains. Local authorities

should be advised if significant spillages cannot be contained.

Methods for Containment and Clean Wear self-contained breathing apparatus and protective suit. Soak up with inert absorbent **Up** material. Keep in suitable, closed containers for disposal.

-	7	ш	ar	hdl	lir	2	ar	h	C	-1	[^] a	α	2
	<i>/</i> .		aı	ıuı		ıu	aı	ıu	- 3	וטו	а	u	=

HandlingUse only under a chemical fume hood. Wear personal protective equipment/face protection.

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest.

If swallowed then seek immediate medical assistance.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

8. Exposure controls / personal protection

Exposure Guidelines

Bromine

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Bromine	TWA: 0.1 ppm	(Vacated) TWA: 0.1 ppm	IDLH: 3 ppm	TWA: 0.1 ppm
	STEL: 0.2 ppm	(Vacated) TWA: 0.7 mg/m ³	TWA: 0.1 ppm	STEL: 0.2 ppm
		(Vacated) STEL: 0.3 ppm	TWA: 0.7 mg/m ³	
		(Vacated) STEL: 2 mg/m ³	STEL: 0.3 ppm	
		TWA: 0.1 ppm	STEL: 2 mg/m ³	
		TWA: 0.7 mg/m ³	-	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined **Engineering Measures**

areas. Ensure that eyewash stations and safety showers are close to the workstation

location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard **Respiratory Protection**

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

9. Physical and chemical properties

Liquid **Physical State** Red brown **Appearance** Odor Strong

Odor Threshold No information available рΗ No information available

Melting Point/Range -7.2 °C / 19 °F 58.7 °C / 137.7 °F **Boiling Point/Range** Flash Point Not applicable

No information available **Evaporation Rate**

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper No data available No data available Lower **Vapor Pressure** 230 mbar @ 20 °C 5.51 (Air = 1.0)**Vapor Density**

3.111 **Specific Gravity**

No information available Solubility Partition coefficient; n-octanol/water No data available

Autoignition Temperature No information available **Decomposition Temperature** No information available **Viscosity** 0.314 cs at 25 °C

Molecular Formula Br2 **Molecular Weight** 159.82

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions. May intensify fire: oxidizer.

Incompatible products. Excess heat. **Conditions to Avoid**

Incompatible Materials Organic materials, Strong oxidizing agents, Ammonia, Fluorine, Metals, Reducing Agent

Hazardous Decomposition Products Hydrogen halides, Thermal decomposition can lead to release of irritating gases and vapors

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Bromine	LD50 = 2600 mg/kg (Rat)	Not listed	Not listed

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes severe burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Bromine	7726-95-6	Not listed				

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard**

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Persistence and Degradability Persistence is unlikely based on information available.

Revision Date 25-Apr-2019

Bromine

Bioaccumulation/ Accumulation

No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

Component	log Pow
Bromine	1.03

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1744
Proper Shipping Name BROMINE
Hazard Class 8

Subsidiary Hazard Class 6.1
Packing Group

TDG

UN-No UN1744
Proper Shipping Name BROMINE

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group |

IATA

UN-No UN1744

Proper Shipping Name BROMINE FORBIDDEN FOR IATA TRANSPORT

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group

IMDG/IMO

UN-No UN1744
Proper Shipping Name BROMINE
Hazard Class 8

Subsidiary Hazard Class 6.1
Packing Group

15. Regulatory information

United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Bromine	7726-95-6	Χ	ACTIVE	-

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Bromine	7726-95-6	Х	-	231-778-1	X	X	X	Х	KE-03605

Revision Date 25-Apr-2019

Bromine

U.S. Federal Regulations

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Bromine	7726-95-6	>95	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Not applicable

Clean Air Act

Not applicable

OSHA - Occupational Safety and

Health Administration

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Bromine	-	TQ: 1500 lb

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Bromine	-	500 lb

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

	Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
I	Bromine	X	X	X	-	X

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

This product contains the following DHS chemicals:

Security

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard
Bromine	Release STQs - 10000lb

Other International Regulations

Mexico - Grade No information available

14	Othor	informa	ation
ın	OHE		anor

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 24-Nov-2010

 Revision Date
 25-Apr-2019

 Print Date
 25-Apr-2019

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Revision Date 25-Apr-2019

Bromine

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS