## **Carnoy Fixative**



#### **Section 1**

### **Product Description**

**Product Name:** Carnoy Fixative

**Recommended Use:** Science education applications

Synonyms:

Distributor: Carolina Biological Supply Company

2700 York Road, Burlington, NC 27215

1-800-227-1150

**Chemical Information:** 800-227-1150 (8am-5pm (ET) M-F)

Chemtrec: 800-424-9300 (Transportation Spill Response 24 hours)

#### Section 2

#### Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

### **DANGER**







Highly flammable liquid and vapor. Causes severe skin burns and eye damage. Causes serious eye damage. Causes damage to organs. Harmful to aquatic life.

#### **GHS Classification:**

Skin Corrosion/Irritation Category 1A, Serious Eye Damage/Eye Irritation Category 1, Specific Target Organ Systemic Toxicity (STOT) -Single Exposure Category 1, Flammable Liquid Category 2, Hazardous to the aquatic environment - Acute Category 3

Other Safety Precautions: IF exposed: Call a POISON CENTER or doctor/physician.

**Acute Toxicity Oral Contains** 89.48125 % of the mixture consists of ingredient(s) of unknown toxicity **Acute Toxicity Dermal Contains** 64.48125 % of the mixture consists of ingredient(s) of unknown toxicity **Acute Toxicity Inhalation Vapor** 64.48125 % of the mixture consists of ingredient(s) of unknown toxicity

**Contains** 

**Acute Toxicity Inhalation Dust/Mist** 

**Contains** 

Inhalation:

64.48125 % of the mixture consists of ingredient(s) of unknown toxicity

First Aid Measures

#### **Composition / Information on Ingredients** Section 3

Chemical Name	<u>CAS #</u>	<u>%</u>
Ethanol	64-17-5	64.48
Acetic Acid	64-19-7	25
Water	7732-18-5	3.75
2-Propanol	67-63-0	3.56
Methanol	67-56-1	3.21

# Section 4

**Emergency and First Aid Procedures** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy Eyes:

to do. Continue rinsing.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with Skin Contact:

water/shower. Wash contaminated clothing before reuse.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Ingestion:

Carnoy Fixative Page 1 of 5

#### Section 5

### **Firefighting Procedures**

**Extinguishing Media:** 

Use dry chemical, CO2 or appropriate foam.

**Fire Fighting Methods and Protection:** 

Firefighters should wear full protective equipment and NIOSH approved self-contained

breathing apparatus.

Fire and/or Explosion Hazards:

Vapors may travel back to ignition source. Closed Containers exposed to heat may explode. Fire or excessive heat may produce hazardous decomposition products.

Hazardous Combustion Products: Carbon dioxide, Carbon monoxide

#### **Section 6**

### **Spill or Leak Procedures**

Steps to Take in Case Material Is Released or Spilled:

Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits. Ventilate the contaminated area. Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area.

#### **Section 7**

### Handling and Storage

Handling: Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed.

Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe

dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do no eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/vapor. Do not get in eyes, on skin, or on clothing. Retained residue may make

empty containers hazardous; use caution.

Storage: Store in a well-ventilated place. Keep cool. Store locked up. Avoid freezing to prevent bursting of the container.

Store above 17 C (62.6 F)

**Storage Code:** Red - Flammables. Store in approved flammable containers. Store away from oxidizing materials.

#### Section 8

#### **Protection Information**

	ACC	<u>OSHA PEL</u>		
Chemical Name	<u>(TWA)</u>	(STEL)	(TWA)	(STEL)
Ethanol	N/A	1000 ppm STEL	1000 ppm TWA;	N/A
			1900 mg/m3 TWA	
Acetic Acid	10 ppm TWA	15 ppm STEL	10 ppm TWA; 25	N/A
			mg/m3 TWA	
2-Propanol	200 ppm TWA	400 ppm STEL	400 ppm TWA; 980	N/A
			mg/m3 TWA	
Methanol	200 ppm TWA	250 ppm STEL	200 ppm TWA; 260	N/A
			mg/m3 TWA	

**Control Parameters** 

Engineering Measures: Local exhaust ventilation or other engineering controls are normally required when

handling or using this product to avoid overexposure.

Personal Protective Equipment (PPE):

**Respiratory Protection:** 

Respirator Type(s): Eye Protection:

Lab coat, apron, eye wash, safety shower.

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

NIOSH approved air purifying respirator with organic vapor/acid gas cartridge.

Wear chemical splash goggles when handling this product. Have an eye wash station

available.

**Skin Protection:**Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through

and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving

work.

Carnoy Fixative Page 2 of 5

Gloves: Nitrile, Nitrile - Extra Thick (8 mm)

#### Section 9

#### **Physical Data**

Formula: N/A Vapor Pressure: N/A

Molecular Weight: N/A

Appearance: Colorless Liquid

Odar Street Alaskal Odar Viscour

Propidis Greater than 1

Specific Greater than 1

Odor: Strong Alcohol Odor Vinegar
Odor Threshold: No data available
Specific Gravity: N/A
Solubility in Water: Soluble

pH: No data available
Melting Point: -114 C
Boiling Point: 79 C
Flash Point: 17 C
Log Pow (calculated): No data available
Autoignition Temperature: No data available
Decomposition Temperature: No data available
Viscosity: No data available

Flammable Limits in Air: 3.3% 19% Viscosity: No data available Percent Volatile by Volume: 100%

#### **Section 10**

#### **Reactivity Data**

**Reactivity:** Not generally reactive under normal conditions.

Chemical Stability: Stable under normal conditions.

Conditions to Avoid: Temperatures above flash point in combination with sparks, open flames, or other

sources of ignition.

Incompatible Materials: Organic Peroxides, Strong acids, Oxidizing materials, Acetic anhydride, Acetaldehydes,

Caustics (bases), Halogens, Carbonates, Water-reactive materials

Hazardous Polymerization: Will not occur

#### **Section 11**

#### **Toxicity Data**

**Routes of Entry** Inhalation, ingestion, eye or skin contact.

Symptoms (Acute): Liver disorders, Gastrointestinal,

**Delayed Effects:** No data available

**Acute Toxicity:** 

Chemical Name Acetic Acid	<b>CAS Number</b> 64-19-7	Oral LD50	Dermal LD50	Inhalation LC50 INHALATION LC50 MAMMAL 11.4 GM/M3 INHALATION LC50 Mouse 5620 ppm
Water	7732-18-5	Oral LD50 Rat 90000 mg/kg		
2-Propanol	67-63-0	Oral LD50 Rat 5045 mg/kg Oral LD50 Mouse 3600 mg/kg		INHALATION LC50 Rat 16000 ppm
Methanol	67-56-1	Oral LD50 Mouse 7300 mg/kg		INHALATION LC50 Rat 64000 ppm

Carcinogenicity:

Chemical Name	CAS Number	IARC	NTP	OSHA
Ethanol	64-17-5	Listed	Listed	Listed
Acetic Acid	64-19-7	Not listed	Not listed	Not listed
2-Propanol	67-63-0	Listed	Not listed	Not listed
Methanol	67-56-1	Not listed	Not listed	Not listed

**Chronic Effects:** 

**Mutagenicity:** No evidence of a mutagenic effect.

**Teratogenicity:** No evidence of a teratogenic effect (birth defect).

Carnoy Fixative Page 3 of 5

**Sensitization:** No evidence of a sensitization effect. **Reproductive:** No evidence of negative reproductive effects.

**Target Organ Effects:** 

Acute: See Section 2

**Chronic:** Not listed as a carcinogen by IARC, NTP or OSHA., Mutation data cited., Reproductive data cited.,

Tumorigenic data cited.

#### Section 12

### **Ecological Data**

Overview: Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.

Mobility: No data

Persistence: Biodegradation

Bioaccumulation: No data
Degradability: No data
Other Adverse Effects: No data

Chemical Name CAS Number Eco Toxicity

Ethanol 64-17-5 96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC]

48 HR EC50 DAPHNIA MAGNA 2 MG/L [STATIC]

24 HR EC50 DAPHNIA MAGNA 10800 MG/L

48 HR LC50 DAPHNIA MAGNA 9268 - 14221 MG/L

Acetic Acid 64-19-7 Aquatic LC50 (96h) Fathead Minnow 79 MG/L

Aquatic EC50 (24h) Daphnia 47 MG/L

Water 7732-18-5 No data available

2-Propanol 67-63-0 96 HR LC50 LEPOMIS MACROCHIRUS > 1400000 μG/L

96 HR LC50 PIMEPHALES PROMELAS 11130 MG/L [STATIC]

48 HR EC50 DAPHNIA MAGNA 13299 MG/L

72 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L 96 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L

Methanol 67-56-1 96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC]

#### **Section 13**

#### **Disposal Information**

**Disposal Methods:** Dispose in accordance with all applicable Federal, State and Local regulations. Always

contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): D001

D002

#### **Section 14**

### Transport Information

**Ground - DOT Proper Shipping Name:** 

**Air - IATA Proper Shipping Name:** 

UN2924, Flammable liquids, corrosive, n.o.s.(ethanol, glacial acetic acid), 3, II

UN2924, Flammable liquids, corrosive, n.o.s.(ethanol, glacial

acetic acid), 3, II

#### **Section 15**

## Regulatory Information

**TSCA Status:** All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
Ethanol	64-17-5	No	No	No	No	No
Acetic Acid	64-19-7	No	5000 lb RQ	5000 lb final RQ; 2270 kg final RQ	No	No
2-Propanol	67-63-0	Isopropyl alcohol	No	No	No	No
Methanol	67-56-1	No	No	No	No	No

California Prop 65: WARNING: This product contains a chemical known to the state of California

to cause cancer, birth defects or other reproductive harm.

#### **Section 16**

### **Additional Information**

Carnoy Fixative Page 4 of 5

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary			
ACGIH	American Conference of Governmental	NTP	National Toxicology Program
	Industrial Hygienists	OSHA	Occupational Safety and Health Administration
CAS	Chemical Abstract Service Number	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response,	ppm	Parts per million
	Compensation, and Liability Act	RCRA	Resource Conservation and Recovery Act
DOT	U.S. Department of Transportation	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
N/A	Not Available	TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health

Carnoy Fixative Page 5 of 5