

# SAFETY DATA SHEET

Creation Date 15-Apr-2009

Revision Date 25-Apr-2019

**Revision Number** 4

1. Identification

#### Product Name Diethyl ether

#### Cat No. :

# AC615080000, AC615080010, AC615080040, AC615080200, AC615085000

CAS-No Synonyms 60-29-7 Ethyl ether; Ether

Recommended UseLaboratory chemicals.Uses advised againstFood, drug, pesticide or biocidal product use.Details of the supplier of the safety data sheet

#### <u>Company</u>

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Acros Organics One Reagent Lane Fair Lawn, NJ 07410

#### **Emergency Telephone Number**

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Flammable liquids                                      | Category 1  |
|--|-------------|
| Acute oral toxicity                                    | Category 4  |
| Specific target organ toxicity (single exposure)       | Category 3  |
| Target Organs - Respiratory system, Central nervous sy | stem (CNS). |
| Specific target organ toxicity - (repeated exposure)   | Category 2  |
| Target Organs - Liver.                                 |             |
| Aspiration Toxicity                                    | Category 1  |
|  |             |

#### Label Elements

Signal Word Danger

Hazard Statements

Extremely flammable liquid and vapor Harmful if swallowed May cause respiratory irritation

May cause drowsiness or dizziness

May be harmful if swallowed and enters airways

May cause damage to organs through prolonged or repeated exposure



#### Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection Keep cool Response Get medical attention/advice if you feel unwell Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

#### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

#### Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

#### May form explosive peroxides

Repeated exposure may cause skin dryness or cracking

## 3. Composition/Information on Ingredients

| Component   | CAS-No  | Weight % |
|-------------|---------|----------|
| Ethyl ether | 60-29-7 | >95      |

### 4. First-aid measures

| Eye Contact  | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.   |
|--|---|
| Skin Contact   | Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.   |
| Inhalation   | Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention. |
| Ingestion  | Do NOT induce vomiting. Call a physician or poison control center immediately.  |
| Most important symptoms and<br>effects<br>Notes to Physician | Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting Treat symptomatically  |

5. Fire-fighting measures

| Suitable Extinguishing Media   | CO 2, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers. |
|--|---|
| Unsuitable Extinguishing Media   | Water may be ineffective  |
| Flash Point  | -45 °C / -49 °F   |
| Method -   | No information available  |
| Autoignition Temperature   | 160 °C / 320 °F   |
| Explosion Limits<br>Upper<br>Lower<br>Sensitivity to Mechanical Impac<br>Sensitivity to Static Discharge | 36.0 vol %<br>1.9 vol %<br>t No information available<br>No information available                       |

#### **Specific Hazards Arising from the Chemical**

Extremely flammable. Risk of ignition. Vapors may travel to source of ignition and flash back. Vapors may form explosive mixtures with air. Containers may explode when heated. May form explosive peroxides. Vapors may form explosive mixtures with air.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). peroxides.

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

| <u>NFPA</u><br>Health<br>1                        | Flammability<br>4        | Instability<br>1   | Physical hazards<br>N/A              |
|---|--------------------------|--|--------------------------------------|
|   | 6. Accidental re         | elease measures  |                                      |
| Personal Precautions<br>Environmental Precautions | precautionary measures a | equipment as required. Remove a<br>against static discharges. Avoid o<br>to the environment. See Section | contact with skin, eyes or clothing. |
| Methods for Containment and Cle<br>Up             |                          | lischarges. Keep in suitable, clos   |                                      |

|          | 7. Handling and storage   |
|----------|---|
| Handling | Wear personal protective equipment/face protection. Handle under an inert atmosphere.<br>Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Do not breathe<br>mist/vapors/spray. Keep away from open flames, hot surfaces and sources of ignition. If<br>peroxide formation is suspected, do not open or move container. Use only non-sparking<br>tools. Use spark-proof tools and explosion-proof equipment. Take precautionary measures<br>against static discharges. To avoid ignition of vapors by static electricity discharge, all metal<br>parts of the equipment must be grounded. |
| Storage  | Flammables area. Store under an inert atmosphere. Keep away from open flames, hot surfaces and sources of ignition. May form explosive peroxides. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep away from heat, sparks and flame. Keep container tightly closed in a dry and well-ventilated place.                              |

# 8. Exposure controls / personal protection

#### Exposure Guidelines

| Component   | ACGIH TLV     | OSHA PEL                              | NIOSH IDLH     | Mexico OEL (TWA)             |
|-------------|---------------|---------------------------------------|----------------|------------------------------|
| Ethyl ether | TWA: 400 ppm  | (Vacated) TWA: 400 ppm                | IDLH: 1900 ppm | TWA: 400 ppm                 |
|             | STEL: 500 ppm | (Vacated) TWA: 1200 mg/m <sup>3</sup> |                | STEL: 500 ppm                |
|             |               | (Vacated) STEL: 500 ppm               |                | STEL: 1500 mg/m <sup>3</sup> |
|             |               | (Vacated) STEL: 1500                  |                | _                            |
|             |               | mg/m <sup>3</sup>                     |                |                              |
|             |               | TWA: 400 ppm                          |                |                              |
|             |               | TWA: 1200 mg/m <sup>3</sup>           |                |                              |

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

| Engineering Measures          | Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment.                                  |
|-------------------------------|---|
| Personal Protective Equipment |   |
| Eye/face Protection           | Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.   |
| Skin and body protection      | Wear appropriate protective gloves and clothing to prevent skin exposure.   |
| Respiratory Protection        | Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. |
| Hygiene Measures              | Handle in accordance with good industrial hygiene and safety practice.  |
|                               | 9. Physical and chemical properties   |
|                               | 1 (modul  |

|                | 7. Thysical and chemical properties |  |
|----------------|-------------------------------------|--|
| Physical State | Liquid                              |  |
| Appearance     | Colorless                           |  |
| Odor           | aromatic                            |  |
|                |                                     |  |

| Odor Threshold<br>pH<br>Melting Point/Range<br>Boiling Point/Range<br>Flash Point<br>Evaporation Rate<br>Flammability (solid,gas)<br>Flammability or explosive limits<br>Upper<br>Lower<br>Vapor Pressure<br>Vapor Pressure<br>Vapor Density<br>Specific Gravity<br>Solubility<br>Partition coefficient; n-octanol/water<br>Autoignition Temperature<br>Decomposition Temperature<br>Viscosity<br>Molecular Formula | No information available<br>No information available<br>-116 °C / -176.8 °F<br>34.6 °C / 94.3 °F<br>-45 °C / -49 °F<br>37.5<br>Not applicable<br>36.0  vol %<br>1.9 vol %<br>587  mbar  @ 20 °C<br>2.55<br>0.714<br>Slightly soluble in water<br>No data available<br>160 °C / 320 °F<br>No information available<br>0.2448 cP at 20 °C<br>C 4 H10 O |
|---|--|
| Molecular Formula<br>Molecular Weight   | C4 H10 O<br>74.12  |
| -   |  |

10. Stability and reactivity

| Reactive Hazard                 | Yes   |
|---------------------------------|---|
| Stability                       | May form explosive peroxides. Air sensitive. Light sensitive. Hygroscopic.  |
| Conditions to Avoid             | Incompatible products. Heat, flames and sparks. Exposure to air. Exposure to light. Exposure to moisture. Keep away from open flames, hot surfaces and sources of ignition. |
| Incompatible Materials          | Strong oxidizing agents, Strong acids   |
| Hazardous Decomposition Product | s Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), peroxides  |
| Hazardous Polymerization        | Hazardous polymerization does not occur.  |
| Hazardous Reactions             | May form explosive peroxides.   |
|                                 |   |

11. Toxicological information

### Acute Toxicity

# Product Information

|         | LD50 Oral LD50 Dermal                          |   | LC50 Inhalation  |   |  |
|---------|--|---|--|---|--|
|         | 1215 mg/kg (Rat) 20 mL/kg (Rabbit) LC50 = 3200 |   | 0 ppm (Rat)4 h   |   |  |
| -       |  |   | d long-term expo   | sure  |  |
| <u></u> |  |   | <u></u>  |   |  |
|         | No information ava                             | ilable  |  |   |  |
|         | The table below inc                            | dicates whether e   | ach agency has list  | ed any ingredient   | as a carcinoger  |
| CAS-No  | IARC   | NTP   | ACGIH  | OSHA  | Mexico   |
| 60-29-7 | Not listed                                     | Not listed  | Not listed   | Not listed  | Not listed   |
|         | CAS-No   | 1215 mg/kg (Rat)         gistic       No information avainte effects as well as chronic effects         No information avainte effects       No information avainte effects         No information       No information         No information       No information         No information       No information         No information       No information         No informating       No information | 1215 mg/kg (Rat)       20         gistic       No information available         te effects as well as chronic effects from short an         No information available         No information available         The table below indicates whether ea         CAS-No       IARC | 1215 mg/kg (Rat)       20 mL/kg (Rabbit)         gistic       No information available         te effects as well as chronic effects from short and long-term expose         No information available         No information available         The table below indicates whether each agency has listed         CAS-No       IARC | 1215 mg/kg (Rat)       20 mL/kg (Rabbit)       LC50 = 3200         gistic       No information available         te effects as well as chronic effects from short and long-term exposure         No information available         No information available         The table below indicates whether each agency has listed any ingredient and the table         CAS-No       IARC |

| Reproductive Effects                               | No information available.   |
|--|---|
| Developmental Effects                              | No information available.   |
| Teratogenicity                                     | No information available.   |
| STOT - single exposure<br>STOT - repeated exposure | Respiratory system Central nervous system (CNS)<br>Liver  |
| Aspiration hazard                                  | No information available  |
| Symptoms / effects,both acute and<br>delayed       | Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting |
| Endocrine Disruptor Information                    | No information available  |
| Other Adverse Effects                              | See actual entry in RTECS for complete information.   |

12. Ecological information

Ecotoxicity

Do not empty into drains.

| Component                | Freshwater Algae       | Freshwater Fish  | Microtox                | Water Flea          |  |  |
|--------------------------|------------------------|--|-------------------------|---------------------|--|--|
| Ethyl ether              | Not listed             | LC50: > 10000 mg/L, 96h<br>static (Lepomis macrochirus)<br>LC50: = 2560 mg/L, 96h<br>flow-through (Pimephales<br>promelas) | EC50 = 5600 mg/L 15 min | EC50 = 165 mg/L/24h |  |  |
| Persistence and Degradab | bility Persistence i   | is unlikely based on inform  | ation available.        |                     |  |  |
| Bioaccumulation/ Accumu  | Ilation No information | on available.  |                         |                     |  |  |

Mobility

Will likely be mobile in the environment due to its volatility.

| Component   | log Pow |
|-------------|---------|
| Ethyl ether | 0.82    |

### 13. Disposal considerations

Waste Disposal Methods

# Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component             | RCRA - U Series Wastes | RCRA - P Series Wastes |
|-----------------------|------------------------|------------------------|
| Ethyl ether - 60-29-7 | U117                   | -                      |

| 14. Transport information |               |  |  |  |
|---------------------------|---------------|--|--|--|
| DOT                       |               |  |  |  |
| UN-No                     | UN1155        |  |  |  |
| Proper Shipping Name      | Diethyl ether |  |  |  |
| Hazard Class              | 3             |  |  |  |
| Packing Group             | I             |  |  |  |
| TDG                       |               |  |  |  |
| UN-No                     | UN1155        |  |  |  |
| Proper Shipping Name      | Diethyl ether |  |  |  |
| Hazard Class              | 3             |  |  |  |
| Packing Group             | I             |  |  |  |
| IATA                      |               |  |  |  |
| UN-No                     | UN1155        |  |  |  |
|                           |               |  |  |  |

| Proper Shipping Name<br>Hazard Class | Diethyl ether<br>3 |
|--------------------------------------|--------------------|
| Packing Group                        | I                  |
| IMDG/IMO                             |                    |
| UN-No                                | UN1155             |
| Proper Shipping Name                 | Diethyl ether      |
| Hazard Class                         | 3                  |
| Packing Group                        | I                  |
|                                      | 4                  |

15. Regulatory information

#### United States of America Inventory

| Component   | CAS-No  | TSCA | TSCA Inventory notification -<br>Active/Inactive | TSCA - EPA Regulatory<br>Flags |
|-------------|---------|------|--|--------------------------------|
| Ethyl ether | 60-29-7 | Х    | ACTIVE   | -                              |

#### Legend:

**TSCA** - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

| Component   | CAS-No  | DSL | NDSL | EINECS    | PICCS | ENCS | AICS | IECSC | KECL     |
|-------------|---------|-----|------|-----------|-------|------|------|-------|----------|
| Ethyl ether | 60-29-7 | Х   | -    | 200-467-2 | Х     | Х    | Х    | Х     | KE-27690 |

#### U.S. Federal Regulations

| SARA 313  | Not applicable                       |
|---|--------------------------------------|
| SARA 311/312 Hazard Categories                              | See section 2 for more information   |
| CWA (Clean Water Act)                                       | Not applicable                       |
| Clean Air Act   | Not applicable                       |
| <b>OSHA</b> - Occupational Safety and Health Administration | Not applicable                       |
| CERCLA  | This material, as supplied, contains |

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Component                 | Hazardous Substances RQs                      | CERCLA EHS RQs |
|---------------------------|---|----------------|
| Ethyl ether               | 100 lb  | -              |
| California Proposition 65 | s product does not contain any Proposition 65 | hemicals.      |

#### U.S. State Right-to-Know

| Regulations |               |            |              |          |              |
|-------------|---------------|------------|--------------|----------|--------------|
| Component   | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
| Ethyl ether | Х             | Х          | Х            | -        | Х            |

#### U.S. Department of Transportation

| Reportable Quantity (RQ):   | Y |
|-----------------------------|---|
| DOT Marine Pollutant        | Ν |
| DOT Severe Marine Pollutant | Ν |

 

 U.S. Department of Homeland Security
 This product contains the following DHS chemicals: Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

 Component
 DHS Chemical Facility Anti-Terrorism Standard Ethyl ether

 Chemical Facility Anti-Terrorism Standard

 Other International Regulations

Mexico - Grade

Severe risk, Grade 4

| 16. Other information |   |
|-----------------------|---|
| Prepared By           | Regulatory Affairs  |
|                       | Thermo Fisher Scientific  |
|                       | Email: EMSDS.RA@thermofisher.com  |
| Creation Date         | 15-Apr-2009   |
| Revision Date         | 25-Apr-2019   |
| Print Date            | 25-Apr-2019   |
| Revision Summary      | This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS). |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# End of SDS