



Material Safety Data Sheet

This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200

	WHMIS Class D-2: Material causing other toxic effects.	HCS Class: Irritating substance.
WHMIS (Pictograms)	WHMIS (Classification)	HCS

Section 1. Chemical Product and Company Identification

Product Name/ Trade name	Hard As Nails	Code	659
Synonym	Floor Finish	Version Number	2.0
Chemical Family	Not available.	Validation Date	10/12/2009
Chemical Formula	Not applicable.	Print Date	10/12/2009
Manufacturer/ Supplier	Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 (800) 333-2156	In Case of Emergency	CHEMTREC (800) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing.		
DSL/ NDSL	All components listed unless noted elsewhere on this MSDS		
		Protective Clothing 	

Section 2. Composition and Information on Ingredients

Name	CAS #	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀
Acrylate Copolymer	N/A	15 - 25	Not available.	Not available.
Diethylene Glycol Ethyl Ether	111-90-0	1 - 5	TWA: 25 ppm CEIL: 25 ppm	ORAL (LD50): Acute: 5540 mg/kg [Rat].
Dipropylene Glycol Methyl Ether	34590-94-8	1 - 5	ACGIH TLV (United States). TWA: 100 ppm 8 hour(s). STEL: 150 ppm 15 minute(s).	Not available.
Tributoxyethyl Phosphate	78-51-3	1 - 5	Not available.	Not available.
Oxidized Ethylene Copolymer	68441-17-8	1 - 2	Not available.	Not available.
Ethoxylated Secondary Alcohol	TSRN 48515005-5071	0.1 - 1	Not available.	Not available.
Potassium Hydroxide	1310-58-3	0.1 - 1	Not available.	ORAL (LD50): Acute: 365 mg/kg [Raf].

Section 3. Hazards Identification

Potential Acute Health Effects	Hazardous in case of eye contact (irritant), of ingestion. Slightly hazardous in case of skin contact (irritant),.
Potential Chronic Health Effects	Repeated skin exposure can produce local skin destruction, or dermatitis.
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Section 4. First Aid Measures

Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention.
Skin Contact	Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops. Cold water may be used.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms appear.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

Section 5. Fire Fighting Measures

Products of Combustion	Not established
Fire Fighting Media and Instructions	In case of fire, use water spray (fog), foam, dry chemical, or CO ₂ .
Special Remarks on Fire Hazards	No additional remark.
Special Remarks on Explosion Hazards	No additional remark.


Section 6. Accidental Release Measures

Small Spill and Leak	Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.
Large Spill and Leak	Absorb with an inert material and put the spilled material in an appropriate waste disposal. Absorb with DRY earth, sand or other non-combustible material. Do not allow any potentially contaminated water including rain water, runoff from fire fighting or spills to enter any waterway, sewer or drain.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Section 7. Handling and Storage

Precautions	Do not ingest. Do not breathe gas/fumes/ vapor/spray. Avoid contact with eyes. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents, acids, alkalis.
Incompatibility	Reactive with oxidizing agents, acids, alkalis.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.
Personal Protection	
<i>Eyes</i>	Safety glasses.
<i>Body</i>	Long Sleeves and pants to avoid skin contact.
<i>Respiratory</i>	Wear appropriate respirator when ventilation is inadequate.
<i>Hands</i>	Nitrile gloves. Butyl gloves.
Protective Clothing (Pictograms)	
Exposure Limits	See Section 2 For Applicable Exposure Limits

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.	Odor	Characteristic.
Molecular Weight	Not applicable.	Taste	Not available.
pH	Not available.	Color	White.
Boiling/Condensation Point	100°C (212°F)		
Melting/Freezing Point	May start to solidify at 0°C (32°F) based on data for: Water.		
Critical Temperature	Not available.		
Instability Temperature	Not available.		
Specific Gravity	1.01 (Water = 1)		
Vapor Pressure	Not available.		
Vapor Density	Not available.		
Volatility	>50% (w/w).		
VOC	<3%		
Evaporation Rate	>1 compared to Butyl acetate.		
Dispersion Properties	See solubility in water, methanol, acetone.		
Solubility	Easily soluble in methanol, acetone. Partially soluble in cold water, hot water.		
The Product is:	Non-flammable.		
Auto-ignition Temperature	Not applicable.		
Flash Points	Not applicable.		
Flammable Limits	Not applicable.		
Fire Hazards in Presence of Various Substances	Not applicable.		
Explosion Hazards in Presence of Various Substances	Not available.		

Section 10. Stability and Reactivity Data

Stability	The product is stable.
Incompatibility with Various Substances	Reactive with oxidizing agents, acids, alkalis.
Hazardous Decomposition Products	Not available.

Section 11. Toxicological Information

Routes of Entry	Dermal contact. Eye contact. Inhalation. Ingestion.
Toxicity to Animals	Acute oral toxicity (LD50): 5540 mg/kg [Rat]. (Diethylene Glycol Ethyl Ether).
Acute Effects on Humans	<p><i>Eyes</i> Hazardous in case of eye contact (irritant).</p> <p><i>Skin</i> Sensitization of the product: Not available. Slightly hazardous in case of skin contact (irritant). Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.</p> <p><i>Inhalation</i> May be irritating to respiratory system, especially at elevated temperatures.</p> <p><i>Ingestion</i> Hazardous in case of ingestion.</p>
Chronic Effects on Humans	Repeated skin exposure can produce local skin destruction, or dermatitis.
Special Remarks on Toxicity to Animals	No additional remark.
Special Remarks on Chronic Effects on Humans	No additional remark.

Section 12. Ecological Information

Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	These products are nitrogen oxides (NO, NO ₂ ...).
Toxicity of the Products of Biodegradation	Not available.
Special Remarks on the Products of Biodegradation	Not available.

Section 13. Disposal Considerations

Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
Waste Stream	Not available.

Section 14. Transport Information

DOT (U.S.A)
(Pictograms)



TDG Classification

-



PIN UN, Proper Shipping Name, PG Not applicable.

Maritime Transportation Not available.

Special Provisions for Transport Not available.

Section 15. Other Regulatory Information and Pictograms

WHMIS (Classification) WHMIS Class D-2: Material causing other toxic effects.



Regulatory Lists No products were found.

Other Regulations Not available. or of its ingredients

Other Classifications

HCS (U.S.A.) HCS Class: Irritating substance.

USA Regulatory Lists
This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm at or above Safe Harbor Levels unless specifically noted below.
Massachusetts RTK: Formaldehyde
SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Diethylene Glycol Ethyl Ether: Fire hazard


DSD (EEC) R322- May be harmful if swallowed. R36- Irritating to eyes.

International Regulations Lists
No products were found.

Hazardous Material Information System (U.S.A.)

Flammability	0
Physical Hazard	0

1 National Fire Protection Association (U.S.A.)



The Hazard Ranking systems presented on this MSDS provide only a quick reference for hazard information. The ENTIRE MSDS must be consulted to determine any specific hazards, First Aid measures, and PPE associated with this product.

Section 16. Other Information

Validated by CRushton on 10/12/2009.

Verified by CRushton.

Printed 10/12/2009.

Information Contact Betco Corporation
1001 Brown Avenue
Toledo, Ohio 43607

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Validated on 10/12/2009.

Hard As Nails

Page: 5/5

Continued on Next Page