

# Part of Thermo Fisher Scientific

# SAFETY DATA SHEET

Creation Date 12-Nov-2009

Revision Date 10-Feb-2015

**Revision Number** 1

1. Identification				
Product Name	Iron Metal Filings, Fine			
Cat No. :	157-500			
Synonyms	None			
Recommended Use	Laboratory chemicals.			
Uses advised against Details of the supplier of the safety	Ivised against No Information available of the supplier of the safety data sheet			
<b>Company</b> Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100	Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887			

2. Hazard(s) identification

# Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable solids

Category 2

# Label Elements

Signal Word Warning

Hazard Statements Flammable solid



Precautionary Statements Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment

Wear protective gloves/protective clothing/eye protection/face protection

### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Fight fire with normal precautions from a reasonable distance

Storage

Store locked up

Hazards not otherwise classified (HNOC)

None identified

# 3. Composition / information on ingredients

Obtain medical attention.           Skin Contact         Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.           Inhalation         Move to fresh air. If breathing is difficult, give oxygen. Get medical attention if symptoms occur.           Ingestion         Do not induce vomiting. Obtain medical attention.           Most important symptoms/effects Notes to Physician         No information available. Treat symptomatically <b>5. Fire-fighting measures</b> Do not use halogenated extinguishers.           Suitable Extinguishing Media         Dry sand; approved class D extinguishers.           Unsuitable Extinguishing Media         Do not use halogenated extinguishing agents or foam; Water; Carbon dioxide (CO2); Dry chemical           Flash Point Method -         No information available No information available         No information available           Autoignition Temperature Explosion Limits Upper         No data available No data available         No data available No data available	Component		CAS-No	Weight %		
Eye Contact       Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.         Skin Contact       Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.         Inhalation       Move to fresh air. If breathing is difficult, give oxygen. Get medical attention if symptoms occur.         Ingestion       Do not induce vomiting. Obtain medical attention.         Most important symptoms/effects       No information available. Treat symptomatically         Suitable Extinguishing Media       Dry sand; approved class D extinguishers.         Unsuitable Extinguishing Media       Do not use halogenated extinguishing agents or foam; Water; Carbon dioxide (CO2); Dry chemical         Flash Point Method -       No information available         Autoignition Temperature Explosion Limits Upper       No data available         No data available       No data available	Iron		7439-89-6	>95		
Obtain medical attention.           Skin Contact         Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.           Inhalation         Move to fresh air. If breathing is difficult, give oxygen. Get medical attention if symptoms occur.           Ingestion         Do not induce vomiting. Obtain medical attention.           Most important symptoms/effects Notes to Physician         No information available. Treat symptomatically <b>5. Fire-fighting measures</b> Do not use halogenated extinguishers.           Suitable Extinguishing Media         Dry sand; approved class D extinguishers.           Unsuitable Extinguishing Media         Do not use halogenated extinguishing agents or foam; Water; Carbon dioxide (CO2); Dry chemical           Flash Point Method -         No information available No information available         No information available           Autoignition Temperature Explosion Limits Upper         No data available No data available         No data available No data available	4. First-aid measures					
Inhalation       Move to fresh air. If breathing is difficult, give oxygen. Get medical attention if symptoms occur.         Ingestion       Do not induce vomiting. Obtain medical attention.         Most important symptoms/effects       No information available. Treat symptomatically         Suitable Extinguishing Media       Dry sand; approved class D extinguishers.         Unsuitable Extinguishing Media       Do not use halogenated extinguishing agents or foam; Water; Carbon dioxide (CO2); Dry chemical         Flash Point Method -       No information available No information available         Autoignition Temperature Explosion Limits Upper Lower       No data available No data available	Eye Contact					
Ingestion       Do not induce vomiting. Obtain medical attention.         Most important symptoms/effects Notes to Physician       No information available. Treat symptomatically <b>5. Fire-fighting measures</b> Suitable Extinguishing Media       Dry sand; approved class D extinguishers.         Unsuitable Extinguishing Media       Do not use halogenated extinguishing agents or foam; Water; Carbon dioxide (CO2); Dry chemical         Flash Point Method -       No information available No information available         Autoignition Temperature Explosion Limits Upper Lower       No data available No data available	Skin Contact					
Most important symptoms/effects Notes to Physician       No information available. Treat symptomatically <b>5.</b> Fire-fighting measures         Suitable Extinguishing Media       Dry sand; approved class D extinguishers.         Unsuitable Extinguishing Media       Do not use halogenated extinguishing agents or foam; Water; Carbon dioxide (CO2); Dry chemical         Flash Point Method -       No information available No information available	Inhalation					
Notes to Physician       Treat symptomatically         5. Fire-fighting measures       5. Fire-fighting measures         Suitable Extinguishing Media       Dry sand; approved class D extinguishers.         Unsuitable Extinguishing Media       Do not use halogenated extinguishing agents or foam; Water; Carbon dioxide (CO2); Dry chemical         Flash Point       No information available         Method -       No information available         Autoignition Temperature       No information available         Explosion Limits       No data available         Upper       No data available         No data available       No data available	Ingestion	Do not induce vomiting. Obtain medical attention.				
Suitable Extinguishing Media       Dry sand; approved class D extinguishers.         Unsuitable Extinguishing Media       Do not use halogenated extinguishing agents or foam; Water; Carbon dioxide (CO2); Dry chemical         Flash Point       No information available         Method -       No information available         Autoignition Temperature       No information available         Explosion Limits       No data available         Upper       No data available         No data available       No data available	Most important symptoms/effects Notes to Physician					
Unsuitable Extinguishing Media       Do not use halogenated extinguishing agents or foam; Water; Carbon dioxide (CO2); Dry chemical         Flash Point Method -       No information available No information available         Autoignition Temperature Explosion Limits Upper Lower       No data available No data available	5. Fire-fighting measures					
Flash Point       No information available         Method -       No information available         Autoignition Temperature       No information available         Explosion Limits       No data available         Upper       No data available         No data available       No data available	Suitable Extinguishing Media	Dry sand; ap	proved class D extinguishers.			
Method -     No information available       Autoignition Temperature     No information available       Explosion Limits     No data available       Upper     No data available       Lower     No data available	Unsuitable Extinguishing Media		alogenated extinguishing agents or foar	n; Water; Carbon dioxide (CO2); Dry		
Explosion Limits     No data available       Upper     No data available       Lower     No data available						
Upper         No data available           Lower         No data available	Autoignition Temperature Explosion Limits	No informatio	on available			
Sensitivity to Mechanical Impact No information available	Upper Lower	No data available				

Sensitivity to Static Discharge No information available

## **Specific Hazards Arising from the Chemical**

Flammable. Risk of ignition. Dust can form an explosive mixture in air. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products Hydrogen

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# NFPA

Personal Precautions	6. Accidental release Jse personal protective equipment.	measures			
Environmental Precautions	Use personal protective equipment.				
Environmental Precautions A Methods for Containment and Clean F Jp c Handling k Storage k	Ensure adequate ventilation. Avoid				
Jp contractions of the second	Avoid release to the environment. S				
Storage	Remove all sources of ignition. Swe container for disposal. Avoid dust fo		e and collect in suitable		
Storage	7. Handling and st	orage			
	Wear personal protective equipment Keep away from open flames, hot su eyes and clothing. Avoid ingestion a	urfaces and sources of ignit			
	Keep containers tightly closed in a d and sources of ignition. Flammables		place. Keep away from heat		
8. Exposure controls / personal protection					
Exposure Guidelines	This product does not contain any h established by the region specific re	azardous materials with occ gulatory bodies.	cupational exposure limits		
6	Ensure adequate ventilation, especi electrical/ventilating/lighting/equipme are close to the workstation location	ent. Ensure that eyewash s			
Personal Protective Equipment					
(	Wear appropriate protective eyeglas OSHA's eye and face protection reg EN166.				
Skin and body protection	Near appropriate protective gloves	and clothing to prevent skin	exposure.		
E	Follow the OSHA respirator regulation EN 149. Use a NIOSH/MSHA or Eur exposure limits are exceeded or if in	opean Standard EN 149 ar	oproved respirator if		
Hygiene Measures	Handle in accordance with good ind	ustrial busiens and active	vractico		
9.	ianale in accordance man good ma	usinal hygiene and safety p			

5	
Physical State	Solid
Appearance	Dark grey
Odor	Odorless
Odor Threshold	No information available
рН	No information available
Melting Point/Range	1535 °C / 2795 °F
Boiling Point/Range	3000 °C / 5432 °F
Flash Point	No information available
Evaporation Rate	negligible
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
-	

Vapor Density
Relative Density
Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity
Molecular Formula
Molecular Weight

No information available No information available Insoluble in water No data available No information available No information available Fe 55.847

# 10. Stability and reactivity

Reactive Hazard	None known, based on information available			
Stability	Moisture sensitive.			
Conditions to Avoid	Avoid dust formation. Incompatible products. Heat, flames and sparks. Exposure to moist air or water.			
Incompatible Materials	Strong oxidizing agents, Acids, Halogens, halogenated agents			
Hazardous Decomposition Products Hydrogen				
Hazardous Polymerization	Hazardous polymerization does not occur.			
Hazardous Reactions	None under normal processing.			

11. Toxicological information

# Acute Toxicity

# Product Information

Component Inform	ation						
Compone	nt	LD50 Oral		LD50 Dermal		LC50 Inhalation	
Iron		7500 mg/kg (Rat)	)	Not listed	No	Not listed	
Toxicologically Syr	nergistic	No information ava	ailable		•		
Products	-						
Delayed and immed	diate effects	as well as chronic effe	cts from short a	nd long-term expo	sure		
Irritation		No information ava	ailable				
Sensitization		No information ava	ailable				
Carcinogenicity		The table below in	dicates whether e	ach agency has lis	ted any ingredient	as a carcinog	
Component	CAS-No		NTP	ACGIH	OSHA	Mexico	
Iron	7439-89-		Not listed	Not listed	Not listed	Not listed	
Nutagenic Effects		No information ava	ailable				
Reproductive Effec	ts	No information available.					
Developmental Effe	ects	No information available.					
Teratogenicity		No information ava	No information available.				

- STOT single exposureNone knownSTOT repeated exposureNone known
- Aspiration hazard No information available

Symptoms / effects, both acute and No information available

#### delayed Endocrine Disruptor Information

No information available

Other Adverse Effects

The toxicological properties have not been fully investigated. See actual entry in RTECS for complete information.

12. Ecological information

#### **Ecotoxicity**

This product contains the following substance(s) which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea	
Iron	Not listed	13.6 mg/L LC50 96 h	Not listed	Not listed	
Persistence and Degradal Bioaccumulation/ Accumu					
Mobility No information available.					
13. Disposal considerations					

 Waste Disposal Methods
 Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	
UN-No	UN3089
Proper Shipping Name	METAL POWDERS, FLAMMABLE, N.O.S.
Hazard Class	4.1
Packing Group	III
TDG	
UN-No	UN3089
Proper Shipping Name	METAL POWDER, FLAMMABLE, N.O.S.
Hazard Class	4.1
Packing Group	III
IATA	
UN-No	UN3089
Proper Shipping Name	METAL POWDER, FLAMMABLE, N.O.S.
Hazard Class	4.1
Packing Group	III
IMDG/IMO	
UN-No	UN3089
Proper Shipping Name	METAL POWDER, FLAMMABLE, N.O.S.
Hazard Class	4.1
Packing Group	III
	15. Regulatory information

## International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Iron	Х	Х	-	231-096-4	-		Х	-	Х	Х	Х
Legend:											

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated

polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

No No Yes

No

No

U.S. Federal Regulations

TSCA 12(b)	Not applicable		
SARA 313	Not applicable		
SARA 311/312 Hazardous Categorization Acute Health Hazard Chronic Health Hazard Fire Hazard Sudden Release of Pressure Hazard			

Clean Water Act	Not applicable

Clean Air Act	Not applicable

**OSHA** Occupational Safety and Health Administration Not applicable

CERCLA Not applicable

**Reactive Hazard** 

California Proposition 65 This product does not contain any Proposition 65 chemicals

# State Right-to-Know Not applicable

### **U.S. Department of Transportation**

Reportable Quantity (RQ):	
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

#### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

**WHMIS Hazard Class** 

B4 Flammable solid



16. Other information

Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date	12-Nov-2009
Revision Date	10-Feb-2015
Print Date	10-Feb-2015
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)
	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

# End of SDS