

Part of Thermo Fisher Scientific

SAFETY DATA SHEET

Creation Date 03-Dec-2010 Revision Date 25-Feb-2014 **Revision Number 1**

1. Identification

Product Name Phenol

Cat No.: A91I-212; A91I-500; A92-100; A92-112; A92-500; BP226-100;

BP226-500

Synonyms Carbolic acid; Hydroxybenzene

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company **Emergency Telephone Number**

Fisher Scientific CHEMTREC®, Inside the USA: 800-424-9300 One Reagent Lane CHEMTREC®, Outside the USA: 001-703-527-3887

Fair Lawn, NJ 07410 Tel: (201) 796-7100

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Category 3 Acute dermal toxicity Category 3 Acute Inhalation Toxicity - Dusts and Mists Category 3 Skin Corrosion/irritation Category 1 B Serious Eye Damage/Eye Irritation Category 1 Germ Cell Mutagenicity Category 2 Specific target organ toxicity (single exposure) Category 3 Target Organs - Respiratory system, Central nervous system (CNS).

Specific target organ toxicity - (repeated exposure) Category 2

Target Organs - Liver, Kidney, Blood.

Combustible dust Yes

Label Elements

Signal Word

Danger

Hazard Statements

May form combustible dust concentrations in air Toxic if swallowed Toxic in contact with skin

Causes severe skin burns and eye damage

Toxic if inhaled

May cause respiratory irritation

May cause drowsiness or dizziness

Suspected of causing genetic defects

May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion**

Rinse mouth

Do NOT induce vomiting

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Toxic to aquatic life with long lasting effects

3. Composition / information on ingredients

| | Component | CAS-No | Weight % | | |
|---|-----------|----------|----------|--|--|
| Γ | Phenol | 108-95-2 | >95 | | |

4. First-aid measures

Eye ContactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a

Revision Date 25-Feb-2014 **Phenol**

respiratory medical device. Immediate medical attention is required.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Breathing difficulties. Causes burns by all exposure routes. . Symptoms of overexposure Most important symptoms/effects

may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe

damage to the delicate tissue and danger of perforation

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed

containers exposed to fire with water spray.

No information available **Unsuitable Extinguishing Media**

79 °C / 174.2 °F **Flash Point** Method -No information available

Autoignition Temperature

Explosion Limits

605 °C / 1121 °F

Upper 8.6 vol % Lower 1.7 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Combustible material. Risk of ignition. Containers may explode when heated.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO2)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 4 | 2 | 1 | N/A |

6. Accidental release measures

Personal Precautions Use personal protective equipment. Remove all sources of ignition. Ensure adequate

ventilation. Avoid contact with skin, eyes and clothing. Avoid dust formation. Take

precautionary measures against static discharges.

Environmental Precautions Do not flush into surface water or sanitary sewer system. See Section 12 for additional

ecological information. Avoid release to the environment. Collect spillage.

Uρ

Methods for Containment and Clean Remove all sources of ignition. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Use spark-proof tools and

explosion-proof equipment.

7. Handling and storage

Use only under a chemical fume hood. Wear personal protective equipment. Avoid dust Handling

formation. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Keep away from

open flames, hot surfaces and sources of ignition.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat Storage

and sources of ignition. Protect from moisture. Protect from light. Corrosives area.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH IDLH | |
|-----------|------------|-------------------------------------|-------------------------------|--|
| Phenol | TWA: 5 ppm | (Vacated) TWA: 5 ppm | IDLH: 250 ppm | |
| | Skin | (Vacated) TWA: 19 mg/m ³ | TWA: 5 ppm | |
| | | Skin | TWA: 19 mg/m ³ | |
| | | TWA: 5 ppm | Ceiling: 15.6 ppm | |
| | | TWA: 19 mg/m ³ | Ceiling: 60 mg/m ³ | |

| Component | Quebec | Mexico OEL (TWA) | Ontario TWAEV |
|-----------|---------------------------|----------------------------|---------------|
| Phenol | TWA: 5 ppm | TWA: 5 ppm | TWA: 5 ppm |
| | TWA: 19 mg/m ³ | TWA: 19 mg/m ³ | Skin |
| | Skin | STEL: 10 ppm | |
| | | STEL: 38 mg/m ³ | |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location. Ensure adequate ventilation, especially in confined

areas.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Effective dust mask Filter type A.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StateSolidAppearanceColorlessOdorsweet

Odor Threshold
pHNo information available
4-5 @ 20°C 10 g/L aq.sol

 Melting Point/Range
 39 - 42 °C / 102.2 - 107.6 °F

 Boiling Point/Range
 182 °C / 359.6 °F @ 760 mmHg

Flash Point 79 °C / 174.2 °F Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

 Upper
 8.6 vol %

 Lower
 1.7 vol %

Vapor Pressure0.4 mbar @ 20 °CVapor DensityNot applicable

Relative Density 1.070

SolubilitySoluble in waterPartition coefficient; n-octanol/waterNo data availableAutoignition Temperature605 °C / 1121 °FDecomposition TemperatureNo information availableViscosity3.437 mPa.s (50°C)

Molecular Formula C6 H6 O

Revision Date 25-Feb-2014 **Phenol**

Molecular Weight 94.11

10. Stability and reactivity

Reactive Hazard Yes

Stability Hygroscopic, Light sensitive.

Avoid dust formation. Incompatible products. Exposure to moisture. Exposure to light. Keep **Conditions to Avoid**

away from open flames, hot surfaces and sources of ignition.

Acids, Bases, Strong oxidizing agents, Halogens, lead, Metals **Incompatible Materials**

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

None under normal processing. **Hazardous Reactions**

11. Toxicological information

Acute Toxicity

Product Information

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----------|-----------------|--------------------|---------------------|
| Phenol | 340 mg/kg (Rat) | 660 mg/kg (Rabbit) | >900 mg/m³/8h (Rat) |

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

| Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico |
|-----------|----------|------------|------------|------------|------------|------------|
| Phenol | 108-95-2 | Not listed |

No information available **Mutagenic Effects**

Experiments have shown reproductive toxicity effects on laboratory animals. **Reproductive Effects**

Developmental Effects No information available. **Teratogenicity** No information available.

STOT - single exposure Respiratory system Central nervous system (CNS)

Liver Kidney Blood STOT - repeated exposure

No information available **Aspiration hazard**

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects Tumorigenic effects have been reported in experimental animals. See actual entry in

RTECS for complete information.

12. Ecological information

Ecotoxicity

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Contains a substance which is:. Very toxic to aquatic organisms.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|-----------|----------------------------|--------------------|--------------------------|----------------------------|
| Phenol | 0.0188 - 0.1044 mg/L EC50 | 4-7 mg/L LC50 96 h | EC50 21 - 36 mg/L 30 min | 10.2 - 15.5 mg/L EC50 48 h |
| | 96 h 46.42 mg/L EC50 = 96 | 32 mg/L LC50 96 h | EC50 = 23.28 mg/L 5 min | 4.24 - 10.7 mg/L EC50 48 h |
| | h 187 - 279 mg/L EC50 72 h | | EC50 = 25.61 mg/L 15 min | _ |
| | | | EC50 = 28.8 mg/L 5 min | |
| | | | EC50 = 31.6 mg/L 15 min | |

Persistence and Degradability Bioaccumulation/ Accumulation

Soluble in water Persistence is unlikely based on information available.

No information available.

Mobility

Will likely be mobile in the environment due to its water solubility.

| | Component | log Pow | | |
|---|-----------|---------|--|--|
| Γ | Phenol | 1.47 | | |

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component | RCRA - U Series Wastes | RCRA - P Series Wastes | | |
|-------------------|------------------------|------------------------|--|--|
| Phenol - 108-95-2 | U188 | - | | |

14. Transport information

DOT

UN-No UN1671

Proper Shipping Name PHENOL, SOLID

Hazard Class 6.1 Packing Group

TDG

UN-No UN1671

Proper Shipping Name PHENOL, SOLID

Hazard Class 6.1 Packing Group

IATA

UN-No UN1671

Proper Shipping Name PHENOL, SOLID

Hazard Class 6.1 Packing Group

IMDG/IMO

UN-No UN1671

Proper Shipping Name PHENOL, SOLID

Hazard Class 6.1 Packing Group II

15. Regulatory information

International Inventories

| Component | TSCA | DSL | NDSL | EINECS | ELINCS | NLP | PICCS | ENCS | AICS | IECSC | KECL |
|-----------|------|-----|------|-----------|--------|-----|-------|------|------|-------|------|
| Phenol | Х | Χ | - | 203-632-7 | - | | Χ | Χ | Χ | Х | Χ |

Legend:

X - Listed

- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated

Revision Date 25-Feb-2014

polymer made with any free-radical initiator regardless of the amount used.

- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

Not applicable

SARA 313

| Component | CAS-No | Weight % | SARA 313 - Threshold Values % |
|-----------|----------|----------|----------------------------------|
| Phenol | 108-95-2 | >95 | 1.0 |

SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard Yes

Clean Water Act

| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | |
|-----------|-------------------------------|--------------------------------|------------------------|---------------------------|--|
| Phenol | X | 1000 lb | X | X | |

Clean Air Act

| Component | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|-----------|-----------|-------------------------|-------------------------|
| Phenol | X | | - |

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Component | Hazardous Substances RQs | CERCLA EHS RQs | |
|-----------|--------------------------|----------------|--|
| Phenol | 1000 lb | 1000 lb | |

California Proposition 65

This product does not contain any Proposition 65 chemicals

State Right-to-Know

| | Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|---|-----------|---------------|------------|--------------|----------|--------------|
| Γ | Phenol | X | X | X | X | X |

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

B3 Combustible liquid

D1A Very toxic materials E Corrosive material D2A Very toxic materials



16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 03-Dec-2010

 Revision Date
 25-Feb-2014

 Print Date
 25-Feb-2014

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS