

Part of Thermo Fisher Scientific

SAFETY DATA SHEET

Creation Date 17-Nov-2009

Revision Date 07-May-2015

Revision Number 2

1. Identification			
Product Name	Sulfur precipitated		
Cat No. :	S594-500, S595-500		
Synonyms	Sulphur; Brimstone.		
Recommended Use	Laboratory chemicals.		
Uses advised against Details of the supplier of the safety	No Information available safety data sheet		
Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410	Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887		

2. Hazard(s) identification

Classification

Tel: (201) 796-7100

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/irritation
Serious Eye Damage/Eye Irritation
Specific target organ toxicity (single exposure)
Target Organs - Respiratory system.
Combustible dust

Category 2 Category 2 Category 3

Yes

Label Elements

Signal Word Warning

Hazard Statements

May form combustible dust concentrations in air Causes skin irritation Causes serious eye irritation May cause respiratory irritation



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

None identified

3. Composition / information on ingredients

Component		CAS-No	Weight %	
Sulfur		7704-34-9	100	
	4. First-aid measures			
Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minu Obtain medical attention.			ne eyelids, for at least 15 minutes.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.			
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Obtain medical attention.			
Ingestion	Do not induce vomiting. Obtain medical attention.			
·····		on available. matically		
5. Fire-fighting measures				
Suitable Extinguishing Media	Cool closed containers exposed to fire with water spray.			
Unsuitable Extinguishing Media	No information available			
Flash Point	Flash Point 168 °C / 334.4 °F			

Method -	No information available
Autoignition Temperature Explosion Limits	235 °C / 455 °F
Upper	46.0%
Lower	3.3%
Sensitivity to Mechanical Impact	t No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated.

Hazardous Combustion Products

Sulfur oxides

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u>	Health	Flammability	Instability 0	Physical hazards N/A			
	-		-				
Personal	Constraint Constrait Constrait Constrait						
Environm	nental Precautions	Should not be released into the e information. Do not flush into sur	environment. See Section 12 fo				
Methods Up	for Containment and Clea	n Sweep up or vacuum up spillage formation. Remove all sources o		er for disposal. Avoid dust			
		7. Handling and	storage				
Handling		Wear personal protective equipm ingestion and inhalation. Avoid d and sources of ignition. Use only static discharges. Wash hands b	ust formation. Keep away from non-sparking tools. Take prec	open flames, hot surfaces autionary measures against			
Storage			ainers tightly closed in a dry, cool and well-ventilated place. Flammables area. y from heat and sources of ignition.				
	8. Exposure controls / personal protection						
Exposure	e Guidelines	This product does not contain an established by the region specific		cupational exposure limits			
Engineering Measures		Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment.					
<u>Personal</u>	Protective Equipment						
Eye/fa	ace Protection	Wear appropriate protective eyes OSHA's eye and face protection EN166.					
Skin a	and body protection	Wear appropriate protective glov	es and clothing to prevent skin	exposure.			
Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 c			134 or European Standard				

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

	9. Physical and chemical properties
Physical State	Solid
Appearance	Yellow
Odor	rotten-egg like
Odor Threshold	No information available
рН	No information available
Melting Point/Range	113 °C / 235.4 °F
Boiling Point/Range	445 °C / 833.0 °F
Flash Point	168 °C / 334.4 °F
Evaporation Rate	No information available
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	46.0%
Lower	3.3%
Vapor Pressure	No information available
Vapor Density	No information available
Relative Density	2.07
Solubility	Insoluble in water
Partition coefficient; n-octanol/wa	ter No data available
Autoignition Temperature	235 °C / 455 °F
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	S
Molecular Weight	32.06

10. Stability and reactivity			
Reactive Hazard None known, based on information available			
Stability	Stable under normal conditions.		
Conditions to Avoid	Incompatible products. Excess heat. Avoid dust formation. Keep away from open flames, hot surfaces and sources of ignition.		
Incompatible Materials	Strong oxidizing agents		
Hazardous Decomposition Products Sulfur oxides			
Hazardous Polymerization Hazardous polymerization does not occur.			
Hazardous Reactions	None under normal processing.		
	11. Toxicological information		

Acute Toxicity

Product Information

Component Information							
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation				
Sulfur	3000 mg/kg (Rat)	2000 mg/kg (Rabbit)	9.23 mg/L (Rat)4 h				
Toxicologically Synergistic No information available							
Products							
Delayed and immediate effects as well as chronic effects from short and long-term exposure							
	Irritating to eyes, respiratory system and skin						

Sensitization

May cause sensitization by inhalation and skin contact

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Sulfur	7704-34-9	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		No information ava	ailable				
Reproductive Effect	ts	No information available.					
Developmental Effe	cts	No information available.					
Teratogenicity		No information available.					
STOT - single expos STOT - repeated ex		Respiratory system None known					
Aspiration hazard		No information available					
/	,both acute and	No information available					
delayed Endocrine Disrupto	r Information	No information available					
Other Adverse Effe	cts	See actual entry in RTECS for complete information.					

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea	
Sulfur	Not listed	Oncorhynchus mykiss:LC50>180mg/L/96h	Not listed	EC50: >5g/L/48h	
Persistence and Degradat	oility Insoluble	in water		·	
Bioaccumulation / Accumulation No information available.					
Mobility	ls not like	ely mobile in the environment due	its low water solubilit	у.	
	13.	Disposal considerat	ions		
Waste Disposal Methods Chemical waste generators must determine whether a discarded chem hazardous waste. Chemical waste generators must also consult local, national hazardous waste regulations to ensure complete and accurate		It local, regional, and			
	14	. Transport informat	ion		
DOT					
UN-No UN1350					
Bronor Shinning Name		D			

Proper Shipping Name Hazard Class	SULPHUR 4.1
Subsidiary Hazard Class	III
TDG	
UN-No	UN1350
Proper Shipping Name	SULPHUR
Hazard Class	4.1
Packing Group	111
IATA	
UN-No	1350
Proper Shipping Name	SULPHUR
Hazard Class	4.1
Packing Group	Ш

IMDG/IMO	
UN-No	1350
Proper Shipping Name	SULPHUR
Hazard Class	4.1
Packing Group	III

15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Sulfur	Х	Х	-	231-722-6	-		Х	-	Х	Х	Х

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

Yes No Yes No No

U.S. Federal Regulations

TSCA 12(b)	Not applicable					
SARA 313	Not applicable					
SARA 311/312 Hazardous Categorization Acute Health Hazard Chronic Health Hazard Fire Hazard Sudden Release of Pressure Hazard Reactive Hazard						
Clean Water Act	Not applicable					
Clean Air Act	Not applicable					
OSHA Occupational Safety and Health Administration Not applicable						
CERCLA						

Not applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sulfur	Х	Х	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

Slight risk, Grade 1

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

B4 Flammable solid D2B Toxic materials



16. Other information

Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com

Creation Date Revision Date Print Date Revision Summary 17-Nov-2009 07-May-2015 07-May-2015 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

Prepared By

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS