SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 4.13 Revision Date 05/24/2016 Print Date 01/23/2017

1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product identifiers Product name	:	Triethylamine	
	Product Number Brand Index-No.	:	T0886 Sigma-Aldrich 612-004-00-5	
	CAS-No.	:	121-44-8	
			· · · · · · · · · · · · · · · · · · ·	

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone Fax	:	+1 800-325-5832 +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Acute aquatic toxicity (Category 2), H401

For the full text of the H-Statements mentioned in this Section, see Section 16.

Danger

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Hazard statement(s) H225 H302 H311 + H331 H314 H318 H335

Highly flammable liquid and vapour. Harmful if swallowed. Toxic in contact with skin or if inhaled. Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation.

Sigma-Aldrich - T0886

H401	Toxic to aquatic life.
Precautionary statement(s)	
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face
	protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
	Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water/shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for
	breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing. Immediately
Baaa	call a POISON CENTER/doctor.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1	Substances
	Synonyms

: TEA

Formula	:	C ₆ H ₁₅ N
Molecular weight	:	101.19 g/mol
CAS-No.	:	121-44-8
EC-No.	:	204-469-4
Index-No.	:	612-004-00-5

Hazardous components

Component	Classification	Concentration
Triethylamine		
	Flam. Liq. 2; Acute Tox. 4; Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1; STOT SE 3; Aquatic Acute 2; H225, H302, H311 + H331, H314, H318, H335, H401	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis				
			parameters					
Triethylamine	121-44-8	TWA	1.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)				
	Remarks	Upper Resp	er Respiratory Tract irritation					
		Visual impairment						
		See Notice	See Notice of Intended Changes (NIC)					
		Not classifia	ble as a human ca	rcinogen				
		Danger of c	Danger of cutaneous absorption					
		TWA	0.5 ppm	USA. ACGIH Threshold Limit Values (TLV)				
		Upper Resp	iratory Tract irritation	on				
		Visual impai	Visual impairment					
		2015 Adopti	on					
		Not classifia	ble as a human ca	rcinogen				
		Danger of c	utaneous absorptic	n				
		STEL	3.000000 ppm	USA. ACGIH Threshold Limit Values				
				(TLV)				
		Upper Resp	Upper Respiratory Tract irritation					
			Visual impairment					
			Adopted values or notations enclosed are those for which changes					
			are proposed in the NIC					
			of Intended Change					
			ble as a human ca					
		-	anger of cutaneous absorption					
		STEL	1 ppm	USA. ACGIH Threshold Limit Values (TLV)				
		Upper Resp	iratory Tract irritation	on				
		Visual impairment						
		2015 Adoption						
			Not classifiable as a human carcinogen					
			utaneous absorptic					
		TWA	25.000000 ppm	USA. Occupational Exposure Limits				
			100.000000	(OSHA) - Table Z-1 Limits for Air				
			mg/m3	Contaminants				
			The value in mg/m3 is approximate.					
			lix D - Substances	with No Established RELs				
		С	1 ppm	California permissible exposure				
			4.1 mg/m3	limits for chemical contaminants				
				(Title 8, Article 107)				
		Skin						

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Sigma-Aldrich - T0886 Page 4 of 9

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.2 mm Break through time: 49 min Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid, clear Colour: colourless
b)	Odour	amine-like
c)	Odour Threshold	No data available
d)	рН	12.7 at 100 g/l at 15 °C (59 °F)
e)	Melting point/freezing point	Melting point/range: -115 °C (-175 °F)
f)	Initial boiling point and boiling range	88.8 °C (191.8 °F)
g)	Flash point	-15 °C (5 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available

j)	Upper/lower flammability or explosive limits	Upper explosion limit: 8 %(V) Lower explosion limit: 1.2 %(V)
k)	Vapour pressure	68.99 hPa (51.75 mmHg) at 20 °C (68 °F) 85.06 hPa (63.80 mmHg) at 30 °C (86 °F)
I)	Vapour density	3.49 - (Air = 1.0)
m)	Relative density	0.726 g/mL at 25 °C (77 °F)
n)	Water solubility	112 g/l at 20 °C (68 °F)
o)	Partition coefficient: n- octanol/water	log Pow: 1.15
p)	Auto-ignition temperature	> 215 °C (> 419 °F)
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	The substance or mixture is not classified as oxidizing.
Oth	ner safety information	
	Surface tension	20.7 mN/m at 20 °C (68 °F)
	Relative vapour density	3.49 - (Air = 1.0)

10. STABILITY AND REACTIVITY

10.1 Reactivity

9.2

No data available

10.2 Chemical stability Stable under recommended storage conditions.

- **10.3 Possibility of hazardous reactions** Vapours may form explosive mixture with air.
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5** Incompatible materials Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx) Other decomposition products - No data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 730 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - 4 h - 7.1 mg/l (OECD Test Guideline 403)

LD50 Dermal - Rabbit - 580 mg/kg (OECD Test Guideline 402)

No data available

Skin corrosion/irritation

Skin - Rabbit Result: Extremely corrosive and destructive to tissue. (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Risk of serious damage to eyes. (OECD Test Guideline 405)

Respiratory or skin sensitisation

in vivo assay - Guinea pig Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

No data available

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information RTECS: YE0175000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Central nervous system - Irregularities - Based on Human Evidence Central nervous system - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	LC50 - Oryzias latipes (Orange-red killifish) - 24 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	LC50 - Daphnia dubia (water flea) - 17 mg/l - 48 h
Toxicity to algae	NOEC - Pseudokirchneriella subcapitata (green algae) - 1.1 mg/l - 72 h (OECD Test Guideline 201)
	EC50 - Pseudokirchneriella subcapitata (green algae) - 8 mg/l - 72 h (OECD Test Guideline 201)

Toxicity to bacteria LC50 - Bacteria - 95 mg/l - 17 h

12.2 Persistence and degradability

Biodegradability Biodegradability Result: 80 % - Readily biodegradable (OECD Test Guideline 301B)

12.3 Bioaccumulative potential Bioaccumulation Cyprinus carpio (Carp) - 42 d

Bioconcentration factor (BCF): < 0.5 (OECD Test Guideline 305C)

Remarks: Does not bioaccumulate.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1296 Class: 3 (8) Proper shipping name: Triethylamine Reportable Quantity (RQ): 5000 lbs	Packing group: II		
Poison Inhalation Hazard: No			
IMDG UN number: 1296 Class: 3 (8) Proper shipping name: TRIETHYLAMINE	Packing group: II	EMS-No: F-E, S-C	
IATA UN number: 1296 Class: 3 (8) Proper shipping name: Triethylamine	Packing group: II		

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
Triethylamine	121-44-8	2007-07-01

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

	CAS-No.	Revision Date
Triethylamine	121-44-8	2007-07-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Triethylamine	121-44-8	2007-07-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Triethylamine	121-44-8	2007-07-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Eye Dam.	Serious eye damage
Flam. Liq.	Flammable liquids
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H311 + H331	Toxic in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H401	Toxic to aquatic life.

HMIS Rating

NFPA Rating	
Physical Hazard	0
Flammability:	3
Chronic Health Hazard:	
Health hazard:	3

Health hazard:	3
Fire Hazard:	3
Reactivity Hazard:	0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956