

# SAFETY DATA SHEET

1. Identification

Product identifier XTREME COOL 335

Other means of identification

Cutting and Grinding Fluid

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Recommended use

Manufacturer NameQualiChem, Inc.AddressPO Box 926Salem, VA USA

**Telephone** +1-540-375-6700

Email customerservice@qualichem.com

Website www.qualichem.com

Emergency Phone Number For Chemical Emergency ONLY (spill, leak, fire, exposure, or accident), 24 hour

emergency telephone, call Chemtel at +1-800-255-3924 (US, Canada);

+1-813-248-0585 elsewhere.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2B

Label elements

Hazard symbol None.

Signal word Warning

Hazard statement Causes eye irritation.

**Precautionary statement** 

**Prevention** Wash thoroughly after handling.

**Response** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** 25.22% of the mixture consists of component(s) of unknown acute hazards to the aquatic

environment.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
2,2',2"-Nitrilotriethanol		102-71-6	5 - 10
1,2,3-Benzotriazole		95-14-7	0.1 - 1
3-lodo-2-propynyl butylcarbamate		55406-53-6	0.1 - 1
Other components below reportable	le levels		80 - 100

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Material name: XTREME COOL 335
260 Version #: 06 Revision date: 02-15-2016 Issue date: 05-16-2015

SDS US

Ingestion

Most important

delayed

Rinse mouth. Get medical attention if symptoms occur.

symptoms/effects, acute and

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.

General fire hazards

### 6. Accidental release measures

Move containers from fire area if you can do so without risk.

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

### 7. Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

### Occupational exposure limits

**US. ACGIH Threshold Limit Values** 

Components	Туре	Value
2,2',2"-Nitrilotriethanol (CAS 102-71-6)	TWA	5 mg/m3

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Material name: XTREME COOL 335

SDS US

# Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

# Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves.

Other Wear suitable protective clothing.

Respiratory protection 
No personal respiratory protective equipment normally required.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Clear Liquid
Color Blue

Odor Characteristic
Odor threshold Not available.

pH Not available.

Melting point/freezing point < 40 °F (< 4.4 °C)

Initial boiling point and boiling

range

> 212 °F (> 100 °C) estimated

Flash point None

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure < 1.0 mm Hg estimated

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Complete

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Density 1.06 g/cm3

8.80 lb/gal

Explosive properties

Oxidizing properties

Percent volatile

pH in aqueous solution

Not explosive.

Not explosive.

Not explosive.

Not explosive.

7.6 - 8.0 (5% Solution)

Specific gravity 1.06

**VOC (Weight %)** 4.9 % ASTM E1868-10

10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid**Contact with incompatible materials.

**Incompatible materials** Peroxides. Phenols.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

**Inhalation** Not available.

**Skin contact** No adverse effects due to skin contact are expected.

**Eye contact** Causes eye irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

# Information on toxicological effects

Acute toxicity Not available.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes eye irritation.

## Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

### IARC Monographs. Overall Evaluation of Carcinogenicity

2,2',2"-Nitrilotriethanol (CAS 102-71-6)

3 Not classifiable as to carcinogenicity to humans.

# OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### US. National Toxicology Program (NTP) Report on Carcinogens

Not available.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** No known significant effects or critical hazards.

# 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

1,2,3-Benzotriazole 1.44 2,2',2"-Nitrilotriethanol -1

Material name: XTREME COOL 335
260 Version #: 06 Revision date: 02-15-2016 Issue date: 05-16-2015

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Annex II of MARPC

the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Not established.

Not regulated as dangerous goods.

# 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

260 Version #: 06 Revision date: 02-15-2016 Issue date: 05-16-2015

chemical

SARA 313 (TRI reporting)

Chemical nameCAS number% by wt.3-lodo-2-propynyl butylcarbamate55406-53-60.1 - 1

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Material name: XTREME COOL 335

COOL 335

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

#### US state regulations

# US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### US. Massachusetts RTK - Substance List

1,2,3-Benzotriazole (CAS 95-14-7) 2,2',2"-Nitrilotriethanol (CAS 102-71-6)

### US. New Jersey Worker and Community Right-to-Know Act

2,2',2"-Nitrilotriethanol (CAS 102-71-6)

3-lodo-2-propynyl butylcarbamate (CAS 55406-53-6)

#### US. Pennsylvania Worker and Community Right-to-Know Law

2,2',2"-Nitrilotriethanol (CAS 102-71-6)

#### **US. Rhode Island RTK**

3-lodo-2-propynyl butylcarbamate (CAS 55406-53-6)

### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

#### International Inventories

country(s).

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes

Existing Chemicals List (ECL)

Korea Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes (PICCS)

Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico

Yes \*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

# 16. Other information, including date of preparation or last revision

05-16-2015 Issue date **Revision date** 02-15-2016

06 Version #

Disclaimer QualiChem, Inc. cannot anticipate all conditions under which this information and its product, or

the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

This document has undergone significant changes and should be reviewed in its entirety. **Revision information**